HOMEOBOOK.COM

ENSURE THAT THIS QUESTION BOOKLET CONTAINS 150 QUESTIONS SERIALLY NUMBERED FROM 1 TO 150. PRINTED PAGES 32.

- 1. A patient is found to have a holosystolic murmur on physical examination. With deep inspiration, the intensity of the murmur increases. This is consistent with which of the following?
 - (A) Atrial septal defect
 - (B) Austin flint murmur
 - (C) Chronic mitral regurgitation
 - (D) Carvallo's sign

2. The Bedside Index of Severity in Acute Pancreatitis (BISAP) incorporates all of the following parameters **except**:

- (A) BUN<25 mg/dl
- (B) Pleural effusion on CXR
- (C) Glasgow Coma Score < 15
- (\mathbf{Q}) Age > 60 years
- 3. "Dawson's fingers" are characteristically described in which of the following?
 - (A) Multi infarct dermatitis
 - (B) Astrocytoma
 - (C) Herpes encephalopathy
 - (D) Multiple sclerosis
- 4. The tumour marker that is elevated most frequently in carcinoma of the gall bladder is:
 - (A) CA 125
 - (B) CA 19-9 senter restricted at the state of the backgroup is a set
 - (C) Carcino-embryonic antigen (CEA)
 - (D) Alfa fetoprotein
- 5. Button hole sign is present in:
 - (A) Lesions of tuberous sclerosis
 - (B) Adnexal skin tumors
 - (C) Neurofibromas
 - (D) Atrophodermas

MDH-2016-II

- 6.
- Ferriman-Gallwey scoring system is used for:
 - (A) Hirsutism
 - (B) PCOD
 - (C) Alopecia
 - (D) Puberty
- 7. "Heerfordt syndrome" has been described in which of the following illness?
 - (A) Sjogren's syndrome
 - (B) Polyarteritis nodosa
 - (C) Sarcoidosis
 - (D) Wegener's granulomatosis
- 8.
- The HLA important in Type 1 diabetes mellitus is:
- (A) HLA A3
- (B) HLA B 27
- (C) HLA W 1
- (D) HLA DR 3/DR 4
- A 30 year old female presents with hypopituitarism, the earliest symptom to appear will be due to deficiency of:
 - (A) FSH
 - (B) TSH
 - (C) LH
- (D) Growth hormone



A patient has the following laboratory results: HBsAg is positive, Anti-HBcIgM is positive, and HBeAg is positive. All other serologies are negative. She is diagnosed with acute hepatitis B. When interpreting hepatitis B serology results, the term "window period" refers to the time between which of the following?

4

- (A) Anti-HBs and anti-HBc positivity
- (B) Clinical symptoms and anti-HBs
- (C) HBsAg and anti-HBs positivity
- (D) HBsAg and HBeAg positivity

- Tuberculous pleural effusion is characterized by all except:
- (A) Hemorrhagic effusion
- (B) Pleural fluid LDH more than 60% of that of serum LDH
- (C) Increased deaminase and a second and a horse of the second se
- (D) Increased mesothelial cells (C) (C)
- 12. A patient presented with breathlessness and occasional dry cough. On physical examination, he is found to have bilateral basal crepitations. His pulmonary function tests reveal a decrease in total lung capacity and vital capacity (VC) with normal FEV1/FVC ratio. Which of the following is the most likely diagnosis?
 - (A) Chronic bronchitis
 - (B) Idiopathic pulmonary fibrosis
 - (C) Cystic fibrosis up too good and collegating of beal meD (A)
 - (D) Allergic bronchopulmonary aspergillosis
- 13. Acoustic tumours are the tumours of:
 - (A) Ears
 - (B) Muscles
 - (C) Nerves
 - (D) Spine

14. Which is not the cause of trophic ulcer?

- (A) Arterial occlusion
- (B) Multi-vitamin deficiency
- (6) Diabetes
- (D) Leprosy
- Which statement of Marjolin's ulcer is not correct?
- (A) It arises in chronic scar
- (B) It is carcinomatous change
- •(C) This is a very painful ulcer
- (D) It grows very slowly

MDH-2016-II



18.

D

All statements about thromboangitis obliterates are correct except:

- (A) This is occlusion disease of aorta
- (B) This is occlusion disease of small and medium size arteries
- (C) Raynaud's phenomenon can be seen
- (D) Does not occur in females

17. Which statement is true for carcinoma of oesophagus?

- (A) This is mesoblastic in origin
- (B) This is more common in females
- (C) It is normally diagnosed very early because of dysphagia
- (D) Occurs more commonly in males above 60 years

Which statement about complications of cirrhosis is correct?

- (A) Can lead to portal hypertension but does not cause oesophageal varies
- (B) Can lead to portal hypertension, oesophageal varices, but does not cause ascites
- (C) Can lead to portal hypertension, oesophageal varices and ascites
- (D) Can lead to portal hypertension, oesophageal varices, ascites and malignant changes
- 19. Serum amylase levels are useful in diagnosing of:
 - (A) Acute pancreatitis
 - (B) Acute appendicitis
 - (C) Acute cholecystitis
 - (D) Acute gastritis

Carcinoma of pancreas presents most commonly with:

- (A) Anorexia and non specific weight loss
- (B) Acute stomach pain is the most common symptom
- (C) Black, tarry stools
- (D) Haematemesis

21.	Which statement about hernia is not correct	26. Delayed dentition is most char ?to
	(A)/Inguinal hernia is the most common t	type maintenO (A)
	(B) Strangulation can occur in inguinal h	ernia malogooM (B)
	(C) Strangulation is rare in femoral herni	as Acromogaly (3)
	(D) Surgery is the choice of treatment in	strangulated hernia duraleM (C)
22.	Ascitis is not seen in:	$\left(f_{\mathcal{L}} \right)$ Is infinite defection often follow
	(A) Malguardey(B) Malnutrition and hypoproteinemia	("Isoubleatth" ("attributed of a
	(C) Tuberculosis	 (C) Battor gastrio reflux
	(D) Crohn's disease	(D) Infection
	(D) Croini s'uiscase	
23.	Which is the most common complication	of measles in children?
	(A) ASOM	
	(B) Bronchopneumonia	
	(C) Orchitis	
	(D) Meningitis	(D) All of the above
24.	Which of the following is the most commo	on inherited malignancy?
	(A) Infantile leukemia	
	(B) Retinoblastoma	and should be a straight a start a straight a
	(C) Wilm's tumour	Research Historian International Internation
	(D) Neuroblastoma	 (D) -Cysts in ovaries
(.25)	The most common presentation of a child	with Wilm's tumour is:
S		treatment of stress incontinence?
	(B) Haematuria	(A) Marchetti operation
	(C) Hypotension	
	(D) Haemoptysis	1 selection of the sele
MDI	H-2016-II 7	[P.T.O.

MDH-2016-II

26.	Delayed dentition is most characteristic of:	
-----	--	--

- (A) Cretinism
- (B) Mongolism
- (C) Acromegaly
 - (D) Malnutrition ended and a manual to ended and a vessel? (D)



- In infants, defecation often follows a meal due to:
- (A) Gastro-ileal reflex
- (B) Gastro-colic reflux
- (C) Entro-gastric reflux
- (D) Infection
- 28. In leucorrhoea, frothy discharge is characteristics of: 000 bond and a doub//
 - (A) Trichomoniasis
 - (B) Moniliasis
 - (C) Oestrogen deficiency vaginitis
 - (D) All of the above

Which of the following is not a symptom of genital tuberculosis?

- (A) Infertility
- (B) Blood stained vaginal discharge
- (C) Fistula formation
- (D) Cysts in ovaries
- 30.
- Which of the following is the most frequently used operation as surgical treatment of stress incontinence?
 - (A) Marchetti operation
 - (B) Aldridge operation
 - (C) Anterior colporrhaphy
 - (D) Retropubic vesico-urethropexy

	In cases of cervical incompetence at week of pregnancy.	usually the cervical stitch should be removed
	(A) 36th	(A) Unconjugated estriol (UE)
	(B) 37th	
	(C) 38th	
	(D) 39th	
32.	Which of the following is not a ca	use of pathological secondary amenorrhoea?
	(A) Cushing's disease	polyhydramnics?
	(B) Hyperthecosis ovary	
	(C) Hilus cell tumours of ovary	(B) × (0-18
	(D) Hypertension	(C) > 15-20
	cu sidement abrue Erb sp	
33.		les during pregnancy. Which of the following
		(A) Ontic nerve head
	(A) 25-30 mg	
		(B) Nerve behindegehalle source all (B)
	(C) 35-40 mg	
\frown	(D) 10-20 mg	
34.	Foetal presentation of area is fore	head from root of nose and supraorbital ridge
	to anterior fontanelle and coronal	sutures. Foetal neck lies midway between full
	flexion and full extension in this p	presentation: pod cusillo somo (8)
	(A) Face	
Nº N	(D) DIOW	
Ú.	(Biparietal	
	Ditemporal	40. Karitoconiis is a condition. 42 in m
	A 179 Location devices the end	(A) Affecting conjunctive
25	Negal hang formation is normally	coop of which wools of prognancy by
35.	Nasal bone formation is normally	seen at which week of pregnancy by USG?
35.	(A) 6th Ispino bas islagor	seen at which week of pregnancy by USG?
35.	(A) 6th(B) 7th	
35.	 (A) 6th (B) 7th (C) 10th 	
35.	 (A) 6th (B) 7th (C) 10th 	
35.	 (A) 6th (B) 7th (C) 10th 	
35.	 (A) 6th (B) 7th (C) 10th (D) 12th 	

- **36.** Following is not tested in quad marker screening test in pregnancy (usually at 16-18 weeks)?
 - (A) Unconjugated estriol (UE)
 - (B) Alfa fetoprotein (AFP)
 - (C) Inhibin-A
 - (D) Progesterone
 - **37.** Which of the following AFI (Amniotic Fluid Index) is diagnostic of polyhydramnios?

(B) Hyperchecosis ovnew

- (A) > 8-10
- (B) > 10-18
- (C) > 15-20
- (D) > 20-25
- 38. 'Retrobulbar neuritis' is the condition affecting:
 - (A) Optic nerve head
 - (B) Nerve behind eyeball
 - (C) Fovea centralis
 - (D) Uveal tract

39. 'Uveal tract' is comprised of:

- (A) Bulbar conjunctiva, iris, cornea
 - (B) Cornea, ciliary body, iris
 - (C) Iris, ciliary body, choroids
 - (D) Pupil, lens, cornea

40. Keratoconus is a condition:

- (A) Affecting conjunctiva
- (B) Affecting cornea which becomes conical
- (C) Affecting iris, which becomes irregular and conical
- (D) Subluxation of lens

41. Unequal size of the pupils is termed as:	
(A) Anisometropia	
(B) Antimetropia	
Dyscoria Dyscoria	
Anisocoria	
42. Histologically Descemet's membrane is a layer of:	
(A) Opacity of cornea	
(B) Opacity of lens	
(C) Opacity of the bulbar conjunctiva	
(D) Opacity of the vitreous gel	
(D) Little's area	
(43.) Which statement about Erb's palsy is not correct? (A) It is traction injury involving C5. C6 roots	
(it) it is traction injury involving co-co-tools	
Difficult delivery is the most common cause	
 (C) Involves C8T1 nerve roots (D) Unsent suggical tractment is the choice of tractment. 	
D Urgent surgical treatment is the choice of treatment	
44. Which of these is not fracture of distal part of radius or ulna?	
Galeazzi fracture	
(B) Smith fracture	
(C) Barton fracture	
(D) Monteggia fracture	
45. Which is not true for dislocation of shoulder?	
(A) Very common injury in children	
(B) Closed reduction is the treatment of choice	
(C) Posterior dislocation is rare	
(D) Brachial plexus injury is rarely seen with this injury	
46. Rinne test is positive in:	
(A) Normal persons	
(B) Sensorineural deafness	
(C) Both A and B	
(D) Conduction deafness	
MDH-2016-II 11 11 11-010 [P.T	.0.

47. Triad of facial paralysis, swelling of lips and fissured tongue is:

(A) Melkersson's syndrome

(B) Ramsay-Hunt syndrome

(C) Bell's palsy

(D) None of the above

Anterior ethmoidal, septal branch of superior labial, sphenopalatine and greater palatine anastomose to form:

- (A) Keisselbach's plexus
- (B) Coeliac plexus
- (C) Woodruff's area
- (D) Little's area

49. Cholesteatoma is:

- (A) Deposition of cholesterol crystals
- (B) Tumour of the ear
- (C) Keratinising squamous epithelium in middle ear
- (D) Ciliated columnar epithelium in middle ear

50. Which of the following is not a complication of general anaesthesia?

- (A) Cardiovascular collapse
- (B) Hypoxic brain damage
- (C) Headache
- (D) Hyperthermia
- 51. Asymptomatic, pearly white or pink papules with well defined depressed centre is seen in:
 - (A) Pompholyx
 - (B) Herpes zoster
 - (C) Molluscum contagiosum
 - (D) Chicken pox

MDH-2016-II

52. Cicatricial alopecia where hair follicles are destroyed by scarring:

- (A) Pseudopelade
- (B) Hypertrichosis
- (C) Folliculitis decalvans
- (D) Canities

When diffuse palmo-plantar keratoderma extend to the dorsum of hands and feet and is associated with variable degree of erythema, it is known as:

- (A) Mal-de-Meleda
- (B) Punctate keratoderma
- (C) Localised keratoderma
- (D) Tylosis
- 54. Hypopigmented, scaly, perifollicular macules are a feature of:
 - (A) Vitiligo
 - (B) Pityriasis rosea
 - (C) Pityriasis versicolor
 - (D) Leprosy

Pedunculated papules is a characteristic feature of:

- (A) Neurofibroma
- (B) Molluscum contagiosum
- (C) Plane warts
- (D) Skin tags

Commonest psychiatric illness in India is:

- (A) Schizophrenia
- (B) Endogenous depression
- (C) Neurotic depression
- (D) Anxiety neurosis
 - an tax
 - (B) Fuind's sarcoma
 - smontumy J (7)

(A). Schizephrenia-br

(D) Multiple myelomi

MDH-2016-II

C (56.

47. Triad of facial paralysis, swelling of lips and fissured tongue is:

- (A) Melkersson's syndrome
- (B) Ramsay-Hunt syndrome
- (C) Bell's palsy
- (D) None of the above
- 48.

Anterior ethmoidal, septal branch of superior labial, sphenopalatine and greater palatine anastomose to form:

AT Anisometropia

- (A) Keisselbach's plexus
- (B) Coeliac plexus
- (C) Woodruff's area
- (D) Little's area
- **49.** Cholesteatoma is:
 - (A) Deposition of cholesterol crystals
 - (B) Tumour of the ear
 - (C) Keratinising squamous epithelium in middle ear
 - (D) Ciliated columnar epithelium in middle ear
- 50. Which of the following is not a complication of general anaesthesia?
 - (A) Cardiovascular collapse
 - (B) Hypoxic brain damage
 - (C) Headache
 - (D) Hyperthermia
- 51. Asymptomatic, pearly white or pink papules with well defined depressed centre is seen in:
 - (A) Pompholyx
 - (B) Herpes zoster
 - (C) Molluscum contagiosum
 - (D) Chicken pox

MDH-2016-II

II-3105-HUK

52. Cicatricial alopecia where hair follicles are destroyed by scarring:

- (A) Pseudopelade
- (B) Hypertrichosis
- (C) Folliculitis decalvans
- (D) Canities

53.

C (56. When diffuse palmo-plantar keratoderma extend to the dorsum of hands and feet and is associated with variable degree of erythema, it is known as:

- (A) Mal-de-Meleda
- (B) Punctate keratoderma
- (C) Localised keratoderma
- (D) Tylosis
- 54. Hypopigmented, scaly, perifollicular macules are a feature of:
 - (A) Vitiligo
 - (B) Pityriasis rosea
 - (C) Pityriasis versicolor
 - (D) Leprosy
 - Pedunculated papules is a characteristic feature of:
 - (A) Neurofibroma
 - (B) Molluscum contagiosum
 - (C) Plane warts
 - (D) Skin tags

Commonest psychiatric illness in India is:

- (A) Schizophrenia
- (B) Endogenous depression
- (C) Neurotic depression
- (D) Anxiety neurosis

(A) Melanom

[P.T.O.

(B) Ewing's arcome

(A). Schizophrenia-

- C) Lymphoma
- (B) Multiple myelon

	10	
57. I	Delusions in clear consciousness are se	en in: Stadie alongola laboratorio 128
((A) Schizophrenia	
(B) Dementia	
(C) Delirium	
(D) Neurosis.	
58.	Which of the following is not a feature	of hyperkinetic child?
(A) Low attention span 🖌	
	B) Low IQ	(A) - Mal-de-Melcda
(C) Right to left dissociation	
(D) Amphetamine is the drug of choic	(C) Localised keiztoderma a
	(D) Linis's mai	
59. A		ior, delusions and hallucination suggest:
X		54. Hypopigmented, sonly, perifolited
L	B) Confirms schizophrenia	
	C) Korsakoff's psychosis	(B) Pilpriasis rolea
1	D) Obsessive compulsive neurosis	
60. V	Which is most specific of psychosis?	
Y		(55.) Pedunalated papules is a cluma
	B) Neologism	
(C) Incoherence	
(1	D) Preservation	(CD Plane watts
1. I	rresistible urge to move about and incr	eased motor activity is:
	A) Rabbit's syndrome	
	B) Malignant neuroleptic syndrome	
(C) Tardive dyskinesia	(B) Endogenous depression
(1	D) Akathisia	
2. V	Which of the following tumour is not ra	adiosensitive?
	A) Melanoma	
(]	B) Ewing's sarcoma	
((C) Lymphoma	
(1	D) Multiple myeloma	
MDH-2	016-II 14	

63. Pancreatic calcification when observed on X-rays is pathognomonic of:

(A) Acute pancreatitis

(B) Chronic pancreatitis

(C) Ca pancreas

(D) Diabetes mellitus

(D) 'Collinsonia can

64. Which of the following is **not** an investigative choice when suspecting renal stone?

- (A) X-ray
- (B) USG
 - (C) IVP
- (D) MRI

65. Moth eaten bone is not a feature of:

- (A) Multiple myeloma
 - (B) Osteomalacia
 - (C) Osteosarcoma
 - (D) Osteomyelitis

66. Tongue mapped, with red insular patches; like ringworm on sides is indicative of:

- (A) Taraxum
- (B) Nat mur
- (C) Merc sol
- (D) Lachesis of rounded has supported to gattees where walley

Head sweats profusely while sleeping, wetting pillow far around is **not** found in:

- (A) Calc carb 🗸
- (B) Calc phos
- (C) Sanicula
- (D) Silicea

MDH-2016-II

67.

15

[P.T.O.

68. C	Íon	stipation with horribly offensive breat	n is found in:	Past	
	A)	Carbolic acid			
(1	B)	Nux vom			
((C)	Aloe soc			
(1	D)	Collinsonia can			
69 . In	ndc	olent ulcers, accompanying varicose ve	ins is found in:		:40
V	A)	Calc carb			
Ū.	B)	Calc iod			
X	C)	Calc phos			0
(1	D)	Calc silicata	IVP	(\Im)	
			MRI		
		rtburn with horripilations is symptoms	of: eated bonc is not a fea		
(1	A)	Nux vomica			
€ (I	B)	Asafoetida	Maltiple myeloma		
((C)	Carbo veg			
- (1	D)	Calendula	Osteosarcoma	1	
m St	A) B) C)	Conium Argentum nit Ruta Silicea	ite mapped, with red in Taraxum		63
		ow, creamy coating of the tongue and th is found in: Nat phos		ie roo	f of the
n.					
4	B)	Chelidonium			
S ((Nitric acid			
(I	D)	Phosphorus			
		ML tephona	Silicen		

MDH-2016-II

16

MDH-2016-1

0	1				
73.		prophagia" violent m ptom of:			
\sim	-				
	(4)	Belladonna			
291	(B)	Veratrum alb			
(te	(C)	Hyoscyamus 🗸			
. ``	(P)	Cicuta			797 19
674	Sma	rting at the neck of the	e bladder and penis	is found in:	(\mathbb{A}) \sim (\mathbb{A})
\bigcirc	(A)				
1	(B)	Equisetum			· (C)
80		Sarsaparilla			(R)
		Ferrum pic			AND PRO
	V.				No. No.
75.	Lov	e of approbation is ver	ry characteristics fea	ature of:	100 1 00 1
-	(A)	Platina			AN IN
	(B)	Phosphorus			00
	TC	Palladium			L.E.
	(D)	Plumbum met			
1701	Chi	ld has a sour adour de	anita caraful washir	a is symptom of:	(A)
/0.		ld has a sour odour de		annowing numbering	(台)、
	(A)	NA .			
T	(B)	Abrotanuit			
		ricultuse of in			
	(D)	Sulphuric acid			(A)
77.	Con	vulsions with conscio			
	(A)	Bufo rana			
2	(B)				(0)
0-		Hyoscyamus	unknost from benent t		
		Nux vomica		while pain prioriginal	
	(_)	Kent			
MDH	H-201	6-II	17		[P.T.O.
				No.	
					and the second s

"Wake Robin" is a common name of:

- (A) Sulphur
- (B) Thuja
- (C) Symphytum
- (D) Trillium pendulum

9, "Foxglove" is a common name of:

- (A) Dioscorea monthe a anon how robusts out to show and to guinem?
- (B) Dulcamara
- (C) Cyclamen
- (D) Digitalis

80.

Phthisis florida, often effects a cure if given in the early stages of disease:

(A) Canthacks

(B) Equisements

- (A) Theridion
- (B) Thlapsi bursa pastoris
- (C) Terebinth
- (D) Rhus tox

Acute or chronic diseases from unusual or long continued mental exertion:

- (A) Ignatia
- (B) Argentum nitricum
- (C) Natrum mur
- (D) Gelsemium

82. / Painless cholera morbus, cholera infantum is found in:

- (A) Cuprum met
- (B) Croton tig
- (C) Podophyllum
- (D) Phosphorus

Drawing pain through the chest from breast to scapula, of same side every time the child nurses is indicative of:

- (A) Bryonia
- (B) Phytolacca
- (C) Croton tig
- (D) Rhus tox

84. When the patient from the first seems doomed, and the most carefully selected remedies fail to relieve or permanently improve, is indicative of:

- (A) Diphtherinum
- (B) Psorinum

a

85.

87.

- (C) Nux vomica
 - (D) Pulsatilla

/ Cannot speak without weeping is found in:

- (A) Ignatia
- (B) Medorrhinum
- (C) Gelsemium
- (D) Lilium tig

Which among the following can be thought of in amnesic aphasia?

- (A) Kali brom and Plumbum met
- (B) Alumina and Kali brom
- (C) Opium and Alumina
- (D) Plumbum met and Stannum met

Which of the following statements is not correct?

- (A) In Euphrasia, excessive lacrimation during cough and cough only in day time
- (B) Phytolacca, entire indifference to life, sure she will die
- (C) In Picric acid, headache improved with mental exertion
- (D) In Thuja, vertigo when eyes closed

88. Who introduced Hypericum in homoeopathy?

Muller

- (B) Hahnemann
- (C) Hering 🖌

(D) Kent

(K) Dulcamata

OmHmQ: (A)

Which remedy should be given when Arsenic album or the best selected remedy fails to relieve the burning pain of carbuncle or malignant ulceration?

- (A) Pyrogen
- (B) Cantharis
- (C) Sulphur
- (D) Anthracinum

The chemical formula of carbolic acid is:-

- (A) $G_{10}H_{16}O$
- (B) C₆H₅OH
- (C) $C_6H_5NO_2$
- (D) $C_{3}H_{5}N_{3}O_{9}$

91.

.92

93.

0

90

89.

Which remedy is prepared from entire fresh fungus, found in dry pine woods? (A) Secale cor

0

(2) Madomiant

(C) Optimi and Alumina

(D) Chian the

INS A LEI

- (B) Ustilago maydis
- (C) Agaricus musc
- (D) Ambra grisesea

Intense sleeplessness of irritable, excitable persons from business embarrassment, often imaginary, is the symptom of:

- (A) Phosphorus
- (B) Nux vomica wate and all of some ships and a solution of the

(C) Hyoscyamus niger

(D) Belladonna

Before appearance of menses rash appears on skin is a symptom of:

- (A) Dulcamara
- (B) Nat mur
- (C) Sepia
 - (D) Urtica urens

The bad effects of Ignatia are antidoted by:

- (A) Nux vom
- (B) Pulsatilla
- (C) Sulphur
- (D) Nat mur

Anxiety about the heart as if some evil was impending is the symptom of:

- (A) Melilotus
- (B) Lobelia infolata
- (C) Crataegus
- (D) Menyanthes

In a case of acute tonsillitis, patient complains of severe pain in throat better by swallowing solids. This symptom qualifies as:

- (A) Mental symptom
- (B) Paradoxical symptom
- (C) Common symptom
- (D) General symptom

7. The first phase of biological response to a drug is known as:

- (A) Primary action
- (B) Secondary curative action
- (C) Secondary counter action
- (D) Alternating action

18. Tendency to cyst formation in different parts of body is:

- (A) Negative general
- (B) Accidental general
- (C) Absolute general
- (D) Pathological general
- **99.** A patient of rheumatoid arthritis was prescribed Bryonia in potency, Formica rufa in mother tincture and Rhus tox ointment for local application. This method of prescribing is referred as:
 - (A) Unicist homoeopathy
 - (B) Electro homoeopathy
 - (C) Tautopathy
 - (D) Polypragmasy

MDH-2016-II

21

100. Vomiting from least exposure to smell of cooking food is described as:

- (A) Idiosyncracy
- (B) Metaschematism
- (C) Potentisation
- (D) Atavism

101.

The dosage of Peruvian bark taken by Hahnemann during Cinchona bark experiment of 1790 was:

Common symptom

method of mesonihing C

(A) Unicist homoeopathy
 (B) Electro homoeopathy

- (A) Cinchona in LM potency
- (B) One drahm of good China once daily
- (C) Cinchona officinal is 200C once daily
- (D) Four drahms of good China twice a day

102. Which of the following is an objective symptom?

- (A) Bursting headache
- (B) Koplik's spots in measles
- (C) Formication
- (D) Causalgia in peripheral neuritis
- 103. Who among the following was translator of fifth edition of Organon of Medicine?
 - (A) Boenninghausen
 - (B) Richard Hughes
 - (C) Wesselhoef
 - (D) Hering

Previous treatment history of patient is an important determining factor in:

- (A) Epistemology
- (B) Posology
- (C) Galvanism
- (D) Mesmerism

MDH-2016-II

Crotalus horridus in yellow fever is an example of:

(A) Hetropathy

- (B) Pluralistic homoeopathy
- (C) Mesmerism
- (D) Pathotropism

The following five questions (Q. No. 106-110) consist of two statements, one labelled as the 'Assertion (S)' and the other as 'Reason (R)'. You are to examine these two statements carefully and select the answers to these items using the code given below.

Codes

- (A) Both S and R are individually true and R is the correct explanation of S.
- (B) Both S and R are individually true but R is not the correct explanation of S.
 (C) S is followhert R is true.
- (C) S is false but R is true.
- (D) S is true but R is false.
- 106. Assertion (S). Acute mental and emotional diseases almost always arise from internal psora.
 - Reason (R). Acute mental and emotional diseases should immediately be treated with antipsoric remedies.
- 107. Assertion (S). During drug proving, all salads and medicinal herb soups should be regularly taken. $5 x_{0.8} e^{-1}$

Reason (R). Diet should be purely nutrition and of simple character during drug proving.

Assertion (S). A slight alteration in the diet and regimen is sufficient to dispel indisposition.

Reason (R). Indisposition is not a developed disease.

109. Assertion (S). Kent's eleventh observation demands change of medicine.

Reason (R). Old symptoms are observed to reappear in Kent's eleventh observation.

Assertion (S). Hahnemann recommended homoeopathic medicine to be dissolved in water and given in proper small dose in sixth edition of Organon.

Reason (R). Medicine dissolved water is far more effective.

23

Sin ser.

S. Tabe more II-2105 [P.T.O.

117. The process of evolution of disease and its description is described as:

(Transferrences)

- (A) Lexicography
- (B) Chromatography
- (C) Nosography
- (D) Calligraphy
- **112.** Accessory symptom of disease appears during the treatment of:
 - (A) Acute sporadic disease
 - (B) One sided disease
 - (C) Surgical disease
- (D) Acute epidemic disease
 - 113. Which of the following statement is / are true regarding Materia peccans?
 - 1. It means material cause of disease
 - 2 It was a Materia Medica developed by Hahnemann
 - Homoeopathy believes in the concept of Materia peccans
 - (A) 1 only
 - (B) 2 only
 - (C) 1 and 2
 - (D) 2 and 3 (Dom box abalas lin, governg gird, good (2) not baseA

114. Which of the following Kent's observation is suggestive of poor prognosis?

- (A) 1st
- Assertion (S). A slight alteration in the diet and regimen \bigvee BT (B) = disper
 - (C) 4th 🌙

P

- 115. Doctrine of vital force was introduced in which edition of Organon of Medicine?
 - (A) 2nd
 - (B) 3rd
 - (C) 5th
 - (D) 6th

ienson (R). Medicine dissolveden water is for more effective.

MDH-2016-II

1. 1. 1. 1.

24

116.	Biphasic activity of medicine is:			AMI-ORIC (
-	(A) Fluxion potency		y action of data	inter (4)	
00	(B) Isopathic mode of drug actio	B S S S		inglo 1	
Isite	(Ø) Symptom of latent psora	•		11 12	
((D) Dose dependent reverse pher	omenon		dose	
117.	Which of the following qualifies a	s acute individ		(B) Placeb	X
	(A) Lichen planus				140
	(B) Severe pain in abdomen after	overeating			
	(C) Dislocation of right shoulder			(BF Secon	
	Dengue epidemic				
118.	A patient was prescribed Hyperic coccyx. Which of the following sta				on
N	1. This method of prescribing is ca	alled aetiotropi	sm 🧹 👘		
2	2. It is antipathic method of prescr	iption	10	(B) Dunlu	NA.
A	3, Aetiological prescribing is cond	emned in hom	ocopathy	Long Land	in the second
*	TAD 1 only V				
119.	(C) 1 and 3				
J.	I Nosodes		P. Schmidt		
	II Fifty millesimal scale of pote	ncies b			
	III Doctrine of analogy	c	Boenninghaus	en	
X	(A) I-a, II-b, III-c	Support of the second	o ugis meriodia		
00	(B) I-c, II-b, III-a			5	
	(C) J-a, II-c, III-b				
	(D) I-b, II-a, III-c		namee of the and w(and the second	
	(B) Catles	15		and the	
MDH-	2016-II	25		[P.T.C	D. M

120. Anti-toxic drug action refers to action of drug in:
Tertiary action of drug
Polypharmacy
(C) Action of drug in dilution form that is opposite to its action in substantial dose

(D) Placebo effect

1/21.

122.

1. Homoeopathic cure occurs during which action of medicine?

- (A) Primary action
- (B) Secondary action
- (C) Alternate action
- (D) Conjoint action
- Concept on inductive logic was propagated by:
 - (A) Aristotle
 - (B) Dunham
 - (C) Lord Bacon decorrect in Lesses ables a graditizer a la la graditizer de la la graditizer de la graditize
 - (D) Galen
- **123.** Psychological counselling of a patient that relieves suffering brought upon by psychological exciting factor is designated by Hahnemann as:
 - (A) Moral remedy
 - (B) Cryotherapy
 - (C) Palliation
 - (D) Iatrogenesis

The most important sign of commencing improvement in a patient is:

(A) Increase of complaints of patient

(B) Progression of local pathology

(C) Appearance of skin eruptions

(D) State of mind and whole demeanour of the patient

MDH-2016-II

U-6105-HEEV

125. Match the following symptoms to their	corresponding miname
I Desire sweet a	Syphilis
II Desire beer	Sycosis
III Desire cold things c	Psora de la la de
IV Craves meat d	Pseudo psora
(A) I-b, II-d, III-a, IV-c	Proceedings of the show
(B) I-a, II-d, III-c, IV-d	
(C) I-d II-c III-a IV h	131. Potential differential field is:
(D) I-c. II-b III-a IV d	
	(B) Conceptual image - reportor
(A) tors	ca by Lippe was published in the year?
(11) 1855	(D) Essential evolutionary total
(C) 1854	(132) Symptoms with location, sensation
	(A) Fix general totality
(D) 1856	
127. "Person; in habit of reporting against othe signifies the rubric:	ers in ordered listo totol a (1)
signifies the rubric:	ers in order to disgrace, defame them"
(A) Meddlesome	
(B) Frivolous	MJ. Doctrine of grand generalization
(C) Slander, disposition	
(D) Jesting	
128. Kent's Repertory is based on 1:11	(P) Linching of analogy
based on which logic?	(D) and the above
(A) Deductive	
	134. Mumber of chapters in Loomers
(C) Both	(A) (A)
(D) None	
129. Remedy for "eccentricity" given in Kent's	Ponenter
Siven in Kent S	Repertory:
(A) Verat alb	
(A) Verat alb	5.1
(A) Verat alb (B) Coffea	
 (A) Verat alb (B) Coffea (C) Helleborus 	
 (A) Verat alb (B) Coffea (C) Helleborus (D) Stramonium 	
 (A) Verat alb (B) Coffea (C) Helleborus 	[P.T.O.

The second of

- The study of evolution of the person from birth till the present state is known 130.
 - (A) Longitudinal section study
 - (B) Cross sectional study
 - (C) Both
 - (D) None of the above

131. Potential differential field is:

- (A) Conceptual image + reportorial totality
- (B) Conceptual image reportorial totality
- (C) Reportorial syndrome (D) Essential evolutionary totality

Symptoms with location, sensation and characteristic modalities signifies:

- (A) Fix general totality
- (B) Acute totality

(C) Sector totality K

(D) None of the above



- Doctrine of grand generalization is also known as: 133.
 - (A) Doctrine of concomitant
 - (B) Doctrine of concordance
 - (C) Doctrine of analogy
 - (D) All of the above

Number of chapters in Boenninghausen Therapeutic Pocket Book are: 134.

132.

- (A) 5
- (\mathbf{B})
- (C)9
- (D) 11

MDH-2016-II

11-2016-II

VPA Collen

Stander, disposition

(A)	2 0 1 0	 Millionality 	
(B)	E B CA MAN	A Searof the da	
(C)		waii. ozupald 750 2	
(D)		timT_(0)	P.
/		and the second	
36. Th	e total number of remedies in BBCR are:	(112.) June	
(A)	364 U	Den put (V)	
(B)	455		
	7657 · ()	Perf. Bank	
(D)	478	(D) Steep	
27	DAR is:	Fuls. Raisin "famed, de	
37. RA			
(A)	then its may to a set the set of the observed the in		
(B)	Rapid Aid to Disease Aimed Research		
(C)	Rapid Aid to Disease and Drug Aimed Research		
(D)	None of the above		
	Line - Dignole aperiols		
38. In 1	Knerr Repertory, double thick black vertical lines me		
38. In 1 (A)	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure	ans:	
38, In 1 (A) (B)	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified	ans: the closed A	
38, In 1 (A) (B) (C)	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations	ans: the closed A	
38, In 1 (A) (B) (C)	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified	ans: the closed A	
38, In 1 (A) (B) (C) (D)	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations	eans: the channel A	
38, In I (A) (B) (C) (D) 39. The	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations Cross references ematic Repertory was published by: Roger van Zandvoort	eans: the cland A 441 A model to be a 441 to do the solution to do the solution of the solution of the solution	
38, In I (A) (B) (C) (D) 39. The	Knerr Repertory, <u>double thick black vertical lines me</u> Symptoms verified by cure Symptoms repeatedly verified Observations Cross references ematic Repertory was published by: Roger van Zandvoort	ans: inc offend A 441	
 38. In 1 (A) (B) (C) (D) 39. The (A) 	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations Cross references ematic Repertory was published by: Roger van Zandvoort Kulnker	eans: the cland A 441 A model to be a 441 to do the solution to do the solution of the solution of the solution	
 38. In l (A) (B) (C) (D) 39. The (A) (B) 	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations Cross references ematic Repertory was published by: Roger van Zandvoort Kulnker	ans: in o hand o hand o han is in a hand o h	
 38. In I (A) (B) (C) (D) 39. The (A) (B) (C) (D) 	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations Cross references ematic Repertory was published by: Roger van Zandvoort Kulnker Kent Mirrili	ans: in o family A 441 in during which the select than a remark which the select the select is not the select which the select is not the select of the	
 38. In l (A) (B) (C) (D) 39. The (A) (B) (C) (D) 40. Get 	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations Cross references ematic Repertory was published by: Roger van Zandvoort Kulnker Kent Mirrili	ans: the offend of 441 is and the select from 441 is an offend of a select from 441 is an offend of a select from 441 is an offend	
38, In I (A) (B) (C) (D) 39. The (A) (C) (D) 40. Gen (A)	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations Cross references ematic Repertory was published by: Roger van Zandvoort Kulnker Kent Mirrili htry concordance repertory is a type of: Puritan Repertory	ans: in o family A 441 in during which the select than a remark which the select the select is not the select which the select is not the select of the	
 38. In l (A) (B) (C) (D) 39. The (A) (B) (C) (D) 40. Get 	Knerr Repertory, double thick black vertical lines me Symptoms verified by cure Symptoms repeatedly verified Observations Cross references ematic Repertory was published by: Roger van Zandvoort Kulnker Kent Mirrili htry concordance repertory is a type of: Puritan Repertory Clinical Repertory	A limit pairs and sense in an all senses in a sense in	

T

Quid signifies: (A) Personality 37 (B) Seat of the disease 37 (C) Disease, its nature and peculiarity (D) Time	PUIS-P Puis-P
Rubric "lassitude" can be located in which chapter (A) Mind (B) Generalities (C) Back (C) Sleep B. I. i. "General desire to be" below to which chapter	(A) 264 (B) 455 (B) 455 (B) 478
 (A) Sensations and complaints in general (B) Mind (C) Fever-heat (D) Aggravations and amelioration 	 (A) Rapid Ald to Drug (B) Rapid Ald to Disc (C) Rapid Ald to Disc (D) None of the above
 to select from BBCR is the one which has more females. Which chapter would you refer to? (A) Female genitalia (B) Sensation and complaints in general (D) Aggravation and amelioration in general 	edicines having affinity for
Rubric <u>"tumour malignant on neck</u> " can be located Repertory? (A) Back (B) Neck (C) Throat (D) Generalities	d in which chapter of Kent's
	 (A) Personality (A) Seat of the disease (A) Disease, its nature and peculiarity (B) Disease, its nature and peculiarity (D) Time (D) Time (A) Mind (B) Generalities (C) Back (D) Sleep (D) Sleep (D) Sleep (D) Sleep (D) Sleep (D) Sleep (D) Aggravations and complaints in general (D) Aggravations and amelioration (D) Aggravation and amelioration in general (D) Sensation and complaints in general (D) Sensation and complaints in general (D) Sensation and complaints in general (D) Aggravation and amelioration (A) Female genitalia (D) Aggravation and amelioration in general (D) Aggravation and amelioration in general (A) Back (B) Neck (C) Throat (D) Generalities

MDH-2016-II

Section 1

146. "Eruptions, phagedenic" means:

- (A) Corroding
- (B) Emphysematous
- (C) Serpiginous
- (D) Horny

147. A patient complains of pain in ankle which is shooting upwards till knee. Looking at his complaint, selection of rubric "direction of pain" can be suitably found in which chapter of BBCR?

- (A) Extremities
- (B) Aggravation and amelioration in general
- (C) Sensations and complaints in general
- (D) Both B and C
- 148. A patient comes to a physician and it is observed that he is lipsing. What does that mean?

(A) Panting for breath

- (B) Unintelligible speech
- (C) Biting lips
- (D) Moaning with pain
- 149. Which statement out of the following is true for chapter on respiration in BBCR?
 - (A) There are no modalities subchapter
 - (B) There is one modality subchapter having both aggravation and amelioration together
 - (C) There are three modalities subchapters
 - (D) There is no chapter on respiration
- 150. Rubric "uncovers his genitalia" belongs to which chapter of BBCR?
 - (A) Mind
 - (B) Genitals
 - (C) Sensation and complaint in general
 - (D) No such rubric

MDH-2016-II

31

[P.T.O.

HOMEOBOOK.COM