

PLEASE ENSURE THAT THIS BOOKLET CONTAINS 150 QUESTIONS
SERIALLY NUMBERED FROM 1 TO 150 (Printed Pages : 32)

1. All are causes of pulmonary oedema without any cardiac enlargement on X-ray except:
(A) Mitral stenosis
(B) Constrictive pericarditis
(C) Pulmonary thrombo embolism
(D) Drowning ↑
2. Naturally occurring antibodies in the serum of non-transferred person are:
(A) IgA
(B) IgM
(C) IgD
(D) IgG
3. An example of tumour-associated antigen (TAA) is:
(A) Testis specific antigen (MAGE)
(B) Alfa fetoprotein (AFP)
(C) Carcinoembryonic antigen (CEA)
(D) Prostrate specific antigen (PSA)
4. Biopsy of the affected artery in the following conditions is not only of the diagnostic value, but also main symptom of disease:
(A) Giant cell arteritis (Tempora-arteritis)
(B) Takayasu's arteritis
(C) Kawasaki's disease
(D) Raynaud's disease
5. Chronic alcoholism is associated with:
(A) Hypertrophic cardiomyopathy
(B) Dialated cardiomyopathy
(C) Restricted cardiomyopathy
(D) Infiltrative cardiomyopathy

6. In following heart disease, there is generally involvement of valves of right heart:
- (A) Heart disease in SLE
 - (B) Subacute bacterial endocarditis (SABE)
 - (C) Carcinoid disease of heart
 - (D) Non-bacterial thrombotic endocarditis
7. Type of gallstones generally un-associated with the changes in gall bladder wall:
- (A) Cholesterol
 - (B) Mixed
 - (C) Combined
 - (D) Pigment
8. The serum markers of RPGN (Rapidly Progressive Glomerulonephritis) are all of the following, except:
- (A) Serum C3 levels
 - (B) Anti GBM antibody
 - (C) Anti-neutrophil cytoplasmic antibody (ANCA)
 - (D) Anti-endothelial cell antibody (AECA)
9. The cell of origin of meningioma is:
- (A) Dura mater
 - (B) Arachnoid cap cell layer
 - (C) Pia mater
 - (D) Choroid plexus
10. Neuritic plaques are seen in brain in:
- (A) Multiple sclerosis
 - (B) Alzheimer's disease
 - (C) Parkinsonism
 - (D) Perivenous encephalomyelitis

11. A 45 years old coal mine worker complains of chronic cough with dyspnoea for last many years. He also has swelling of small peripheral joints. A chest X-ray taken during clinical evaluation reveals bilateral nodules in lung parenchyma of 2-3 cm in size. Some of these nodules show calcification and cavity formation. Which of following is the most likely diagnosis?
- (A) TB
 - (B) Interstitial lung disease
 - (C) Caplan syndrome
 - (D) Lung carcinoma
12. In a patient presenting to the hospital with acute attack of bronchial asthma all of following clinical features are suggestive of status asthmaticus (acute severe asthma) except:
- (A) Pulsus paradoxus ✓
 - (B) Central cyanosis ✓
 - (C) Tachypnea
 - (D) Silent chest on auscultation ✗
13. Acute appendicitis is associated with:
- (A) McBurney's point ✓
 - (B) Palmer's point
 - (C) Murphy's sign
 - (D) Cullen's sign
14. Intermittent claudication is a symptom of:
- (A) Thromboangitis obliterans ✓
 - (B) Varicose veins
 - (C) Fracture shaft femur
 - (D) Ruptured tendoachilles
15. Inguinal hernia presents as a swelling in:
- (A) Hypogastrium
 - (B) Epigastrium
 - (C) Rt iliac fossa
 - (D) Groin

16. Peritonitis can be found in all except:
- (A) Parotitis
 - (B) Appendicitis
 - (C) Duodenal perforation
 - (D) Ruptured liver abscess
17. Buccal ulceration can be found in all except:
- (A) Aphthous ulcer
 - (B) Sharp molar edges
 - (C) CA cheek
 - (D) Lichen planus
18. Bariatric surgery refers to:
- (A) Surgery at high altitude
 - (B) Surgery under low pressure
 - (C) Surgery in morbidly obese
 - (D) Surgery in CA stomach
19. Paronychia is a disease of:
- (A) Parotid gland
 - (B) Finger nails
 - (C) Abdomen
 - (D) Testes
20. Which is the odd one out in CA breast?
- (A) Modified radical mastectomy
 - (B) Apical lymph nodes
 - (C) Chemotherapy
 - (D) Internal mammary artery
21. Referred shoulder pain is associated with:
- (A) Splenitis
 - (B) Fundus of the stomach
 - (C) Hepatitis
 - (D) Cholecystitis

22. Which is the odd one out ?

- (A) Mandibular ✓
- (B) Frontal
- (C) Ethmoid
- (D) Maxillary

23. Delayed dentition is the most important characteristic of:

- (A) Cretinism
- (B) Mongolism
- (C) Acromegaly
- (D) Malnutrition-

60-207

24. Normal haemoglobin content in blood at birth is:

- (A) 12.5 gm%
- (B) 15.5 gm%
- (C) 18 gm% ✓
- (D) 23 gm%

25. Aetiology of 'PICA' include all of following except:

- (A) Iron deficiency
- (B) Stress : maternal deprivation
- (C) Low socioeconomic status
- (D) Renal disease

26. In infants, total body water constitutes about:

- (A) 55-65%
- (B) 65-75%
- (C) 75-85% ✓
- (D) Above 85%

27. Lymphoid tissues reach their maximum size:
- (A) At puberty
 - (B) In early childhood
 - (C) At 20 years of age
 - (D) During adolescence
28. The corpus luteum of pregnancy is functionally active up to which week of pregnancy?
- (A) 10th
 - (B) 11th
 - (C) 12th
 - (D) 14th
29. Young married fat female presented with secondary amenorrhoea, infertility, hirsutism with hypoplasia of breasts. On ultrasonography, both ovaries are enlarged 2 to 3 times to their normal size. Blood level of oestrogen and 17-ketosteroid excretion levels are normal and LH level is high. The diagnosis in this case can be:
- (A) Adrenogenital syndrome
 - (B) Stein leventhal syndrome ✓
 - (C) Turner's syndrome
 - (D) Down's syndrome
30. Generally, the distribution of myoma in the body of the uterus is:
- (A) Intramural- 75%, Sub mucous- 15%, Sub serous- 10%
 - ✓(B) Intramural- 75%, Sub mucous- 5%, Sub serous- 20% ✓
 - ✓(C) Intramural- 90%, Sub mucous- 5%, Sub serous- 5% ✓
 - ✓(D) Intramural- 80%, Sub mucous- 15%, Sub serous- 5% ✓
31. Following is not one of the aetiology of spasmodic dysmenorrhoea:
- (A) Cervical obstruction
 - (B) Psychogenic causes
 - (C) Anovulatory cycle
 - ✓(D) Imbalance of autonomic nerve supply

32. As per FIGO classification of CA cervix, growth extending to upper third of vagina, uterosacral and Mackenrodt's ligament, but not reaching to pelvic wall is:
- (A) Stage I
 - (B) Stage II
 - (C) Stage III
 - (D) Stage IV
33. On which day of fertilization, nidation of blastocyst occurs on wall of uterine cavity?
- (A) Upto 4th day
 - (B) Between 6th
 - (C) 8th
 - (D) 10th
34. Which one of the following is not a complication of twin pregnancy?
- (A) Hydramnios
 - (B) Pregnancy induced hypertension
 - (C) Anaemia
 - (D) Gestational diabetes
35. In which week after delivery, uterus becomes pelvic organ and returns to normal pregravid size?
- (A) 4th
 - (B) 5th
 - (C) 6th
 - (D) 7th
36. On which week of pregnancy, gestation sac is visualized first on ultrasonography?
- (A) 4th
 - (B) 5th
 - (C) 6th
 - (D) 7th

37. Following is not one of the common advantage of lower segment caesarean section in comparison with classical caesarean section:
- (A) Infection if occurs restricts to pelvis
 - (B) Less chances of scar rupture during subsequent pregnancy
 - (C) Less peritoneal adhesions
 - (D) Higher maternal mortality
38. Keratoconus is a condition:
- (A) Affecting conjunctiva
 - (B) Affecting cornea which becomes conical ✓
 - (C) Affecting iris which becomes irregular and conical -
 - (D) Subluxation of lens
39. Keratic precipitates are more at which part of endothelial surface of cornea?
- (A) Upper part
 - (B) Lower part
 - (C) Middle point
 - (D) Temporal side
40. Symblepharon is a condition characterized by:
- (A) Collection of pus in the anterior chamber ★
 - (B) Adhesion of the lid to the globe ✓
 - (C) Incomplete closure of the palpebral aperture
 - (D) Subluxation of lens
41. The eyes which are vulnerable to have attack of narrow angle glaucoma are:
- (A) Hypermetropic eyes
 - (B) Myopic eyes
 - (C) Astigmatic eyes
 - (D) Emmetropic eyes

42. Deuteranopia is a type of colour vision defect:
- That is a complete defect for green colour
 - That is a complete defect for red colour
 - That is a complete defect for red and green colour
 - That is a complete defect for blue colour
43. In tennis elbow, tenderness is present over:
- Lateral epicondyle of humerus
 - Medial epicondyle of humerus
 - Head of radius
 - Tip of olecranon
44. De Quervain disease involves:
- Flexor tendons of thumb
 - Extensor tendons of thumb
 - Abductor tendons of thumb
 - Abductor and extensor tendons of thumb
45. Slipped capital epiphysis of head of femur is commonly seen in:
- Obese children
 - Thin children
 - Thin adults
 - Old age
46. Which of the following will not produce conductive hearing loss?
- Endolymphatic hydrops
 - Serous otitis media
 - Otosclerosis
 - Suppurative otitis media
47. Unencapsulated, single mass, with furrows located in nasopharynx is a correct diagnosis of:
- Adenoids
 - Tonsils
 - Polyps in throat
 - Cystic swelling

48. Tucker's surgery is:
- (A) Reinnervation of cord using ansa hypoglossi †
 - (B) Medialisation thyroplasty
 - (C) Lateralisation thyroplasty
 - (D) Injection of teflon into the paralysation cord †
49. Yaws is caused by:
- (A) Mycobacterium Tuberculin †
 - (B) Treponema Pertunae ✓
 - (C) Klebsella Rhinoschelomatis
 - (D) Mycobacterium Leprae †
50. Which of the following intravenous agent is most suitable for day care surgery:
- (A) Morphine †
 - (B) Ketamine
 - (C) Propofol
 - (D) Diazepam
51. The localised form of scleroderma is known as:
- (A) Morphea
 - (B) Lichen hyperkeratosis ✓
 - (C) SLE †
 - (D) Keratoderma ✓
52. A 45-year-old farmer has itchy erythematous papular lesions on face, neck, area of chest, dorsum of hands and forearms for 3 years. The lesions are more severe in summers and improve by 75% in winters. The diagnose can be:
- (A) Atopic dermatitis †
 - (B) Photodermatitis ✓
 - (C) Psoriasis †
 - (D) Seborrhoea †

53. Varicella zoster remains latent in:
- (A) Macrophages
 - (B) B cells
 - (C) T cells
 - (D) Nerve ganglion ✓
54. A strawberry tongue with swollen lymph nodes and skin rash is characteristic of
- (A) Kawasaki disease
 - (B) Molluscum contagiosum †
 - (C) Measles ✓
 - (D) Rubella
55. A series of guided questions in which the therapist asks a patient to consider new perspectives on themselves and their place in the world for patients suffering from depression is called:
- (A) Socratic questioning ✓
 - (B) Subjective analysis
 - (C) Emotional assessment †
 - (D) Mood questionnaire †
56. The probable diagnosis for a person who is withdrawn, mute, negative and often assumes very unusual body positions is:
- (A) Paranoid schizophrenia
 - ✓(B) Catatonic schizophrenia
 - (C) Dissociative disorder
 - (D) Residual schizophrenia
57. A child is below normal intelligence but is able to tell you the exact day of the week of September 17, 1908. She has _____ syndrome.
- † (A) Genius
 - (B) Savant ✓
 - (C) Giftedness
 - ★ (D) Calender assessment

58. The graphical plotting of independent variable and dependent variable is on:
- (A) Ordinate, abscissa
 - (B) Abscissa, ordinate
 - (C) X axis
 - (D) Y axis
59. Structuralism was given by
- (A) John Dewey
 - (B) J.B Watson
 - (C) Wilhelm Wundt
 - (D) Thibaut
60. Which part of the neuron is responsible for increasing the speed of the nerve impulse:
- (A) Axon
 - (B) Dendrites
 - (C) Synaptic cleft
 - (D) Myelin sheath ✓
61. The process of applying a single dose of radiation directly to the tumour bed in the operating room in early-stage breast cancer is called
- (A) Intraoperative radiotherapy ✓
 - (B) Single dose radiotherapy
 - (C) Cumulative radiotherapy ✓
 - (D) Single dose radiotherapy
62. The MR imaging in multiple sclerosis will show lesions in:
- (A) Cerebellum ↑
 - (B) Grey matter ✓
 - (C) Thalamus
 - (D) Basal ganglia ✓
63. All of them use non-ionizing radiation, except:
- (A) Ultrasonography
 - (B) Thermography ✓
 - (C) MRI
 - (D) Radiography

64. All of the following radioisotopes are used as systemic radionuclide, except:
- (A) Phosphorus-32 ✓
 - (B) Strontium-89
 - (C) Samarium-153 ✓
 - (D) Iridium-192
65. Hair fall out and replaced by grey patches. Bald spots covered with fine wooly fuzz:
- (A) Vinca minor ✓
 - (B) Graphites ✓
 - (C) Mezereum
 - (D) Fluoric acid
66. Migraine cases with dyspepsia characterised by dreadful gastro-enteric burning, is gratified by:
- ✓(A) Iris Versicolor ✓
 - (B) Nux vomica
 - (C) Anacardium
 - (D) Sepia
67. Asthmatic attacks induced by anger:
- (A) Staphysagria
 - (B) Nux Vomica
 - ✓(C) Chamomilla
 - (D) Cina
68. Sensation as if ice touched or ice-cold needles were piercing the skin; as from hot needles. Burning, itching, redness of various parts; ears, nose, face, hands and feet; parts red, swollen, hot. Complaints appear diagonally; upper left and lower right side:
- ✓(A) Theridion
 - ✓(B) Agaricus
 - (C) Antim tart
 - (D) Ambra grisea

69. Select the correct combination of drugs. Symptoms appear diagonally: Upper right and lower leg ✘
- (A) Ambr, Brom, Med ✓
 - (B) Agaricus, Antim tart, Stram ✘
 - (C) Stram, Brom, Med
 - (D) Antim tart, Med, Agaricus ✘
70. Children, suffering from worms; pitiful weeping when awake, starts and screams during sleep; grinding of teeth. In pertusiscan be given if original remedy fails.
- (A) Cina -Tubercullinum ✓ ✘
 - (B) Calc carb -Cina ✓
 - (C) Cina - Drosera ✘
 - (D) Cina -Antim tart ✘
71. Globus hystericus; sensation of a large ball rising from stomach to throat, causing sense of suffocation:
- ✓ (A) Lac def. /Asafoetida/Lycopodium
 - (B) Asafoetida /Kalmia /Lac def.
 - (C) Cina/Lac def. /Ledum ✘
 - ✘ (D) Iris versicolor/Lac def. /Asafoetida
72. Nervous persons who dread a storm and are particularly afraid of thunder; < before a storm, especially an electrical storm induration and swelling of the testicle after gonorrhoea or rheumatic exposure. Orchitis, sensation in gland as if it were being crushed:
- (A) Rhus tox
 - ✓ (B) Rhododenderon ✓
 - (C) Clemetis
 - (D) Kalmia

73. Afraid of sharp, pointed things, pins, needles, etc. Palpitation: violent, visible and audible; from least motion; when bending forward; systolic blowing at apex:
- (A) Glonine ✓
 (B) Natrum mur ✓
 (C) Tabacum ✗
 (D) Spigelia ✗
74. The modalities best suited to lycopodium are:
- (A) Warm food and drinks; from uncovering the head; loosening the garments ✗
 (B) Cold food and drinks; from uncovering the head; tight bandage on head ✓
 (C) Warm food and warm drinks; from covering the head; loosening the garments ✗
 (D) Warm food and drinks; from uncovering the head; light touch ✗
75. Follows well after Calcarea carb in obesity of young women with large amount of unhealthy adipose tissue:
- (A) Sulphur
 (B) Lachesis
 (C) Graphites ✓
 (D) Podophyllum ✓
76. Adapted to the strumous constitution; glands enlarged, indurated, scirrhus or open cancer:
- (A) Sepia
 (B) Borax
 (C) Apis ✓
 (D) Chamomilla
77. Fill in the blanks with the appropriate child type:
 child anything strange in its surroundings scares it, in the
child it is any sudden noise in its vicinity which simply terrifies it.
 (Borland)
- (A) Baryta carb/Borax ✓
 (B) Borax/Baryta carb
 (C) Phosphorus/Borax ✓
 (D) Phosphorus /Baryta carb

78. Indistinct sight, as if a black veil was drawn before the eyes:
- (A) Aurum met
 - (B) Euphrasia
 - (C) Allium cepa
 - (D) Gelsimium
79. I have this sensation as if a piece of my lung would come off when I cough:
- (A) Mag sulph
 - (B) Kali Mur ✓
 - (C) Sambucus ✗
 - (D) Rumex ✗
80. Whats the remedy? Prolapsus recti with diarrhoea. The rectum protrudes before stool, especially in the morning. In constipation of bottle-fed babies will sometimes relieve. The stools are dry and crumbling. (Allen):
- (A) Podophyllum ✓
 - (B) Muriatic acid
 - (C) Sepia
 - (D) Nitric acid
81. Eructations of gas, smelling like garlic or faeces:
- (A) Iris versicolor
 - (B) Merc sol
 - (C) Asafoetida ✓
 - (D) Raphanus sativus
82. Match the following:
- | | | |
|---|------------------------|----------------|
| a | Sense of Orphanhood | 1. Nat Mur |
| b | Vegetable Mercury | 2. Carcinocin |
| c | Absent Mother syndrome | 3. Mag Mur |
| d | Earth Mother | 4. Podophyllum |
- (A) a-2: b-3: c-4: d-1
 - (B) a-3: b-4: c-1: d-2 ✓
 - (C) a-2: b-3: c-1: d-4
 - (D) a-1: b-2: c-3: d-4

83. Perspiration (headache/in general) ameliorated on uncovering:
- (A) Lycopodium
 - (B) Rhus tox
 - ✓(C) Sambucus
 - (D) Nux vom
84. Chill in clock-like periodicity:
- (A) Ars. Alb
 - (B) Pulsatilla
 - ✓(C) Cedron
 - (D) Psorinum
85. Respiratory difficulty and patient feels better by outstretched arms:
- (A) Cactus g
 - (B) Medorrhinum ✓
 - (C) Psorinum
 - (D) Kali carb
86. Fidgety hands:
- (A) Belladonna ✓
 - (B) Kali brom
 - (C) Zincum met
 - (D) Sepia ✓
87. Over sensitiveness to pain:
- ✓(A) Ignatia
 - (B) Belladonna
 - (C) Opium ✓
 - (D) Causticum
88. After pains: severe, distressing in calves and soles:
- (A) Cuprum met ✓
 - (B) Causticum
 - (C) Rhus tox ✓
 - (D) Croton tig

89. Toothache from tobacco smoking:
- (A) Borax ✓
 - (B) Selenium
 - (C) Spigelia
 - (D) Natrum sulph
90. Weakness of all the senses:
- (A) Anacardium orientale
 - (B) Alumina ✓
 - (C) Silicea
 - (D) Phosphorus
91. Great tendency of head to sweat:
- (A) Rhus tox
 - (B) Sambucus ✓
 - (C) Magnesium muriaticum ✓
 - (D) Veratrum album
92. Loss of breath on falling asleep:
- (A) Psorinum ✓
 - (B) Silicea
 - (C) Ruta gr ✓
 - (D) Opium
93. Erysipelas from left to right:
- (A) Rhus tox
 - (B) Apis mel
 - (C) Graphites
 - (D) Lycopodium
94. Delirium alternating with colic:
- (A) Stramonium
 - (B) Vipera
 - (C) Plumbum met
 - (D) Colocynth

95. The concept of *aequalia aequalibus curentur* was propagated by:
- (A) Hippocrates
 - (B) Boger
 - (C) Lux ✓
 - (D) Huartman
96. Which of the following occurs during secondary action of medicine?
- (A) Homoeopathic cure
 - ✓(B) Homoeopathic aggravation
 - (C) Alternation action of medicine
 - (D) Prima causa morbi
97. In which article has Hahnemann chiefly emphasized upon the importance of proper diet and regimen?
- (A) On the Value of the Speculative Systems of Medicine
 - (B) Cure & Prevention of Scarlet Fever
 - ✓(C) The Medicine of Experience
 - (D) The Friend of Health
98. Who amongst the following propagated the keynote method of prescribing?
- (A) Guernsey ✗
 - ✓(B) Kent ↑
 - (C) Hughes
 - (D) Burnett
99. Psoriasis is an example of:
- ✓(A) Indisposition
 - (B) True chronic disease
 - (C) Alternating disease
 - (D) Acute individual disease
100. Which of the following factors influences the intensity of secondary counter action?
- ✓(A) Intensity of primary action
 - (B) Source of the drug
 - (C) Time of administration of remedy
 - (D) Occupation of patient

101. The remedy recommended by Hahnemann in treatment of morbid symptoms of tapeworm is:
- (A) Cina ✓
 - (B) Psorinum
 - (C) Male fern root ✓
 - (D) Sulphur
102. A patient complaining of frontal headache with no other principal symptom is presenting:
- (A) External one sided disease
 - (B) Internal one sided disease ✓
 - (C) Local disease
 - (D) Mental and emotional disease
103. Which of the following is admissible during the application of law of similia?
- (A) Double remedy
 - (B) Surrogate ↗
 - ✓(C) Individualization
 - (D) Quidquid in buccam venit
104. A patient was prescribed the indicated remedy, Pulsatilla in 30C potency on the basis of law of minimum. This is application of:
- (A) Inductive logic
 - (B) Figurative logic ↗
 - (C) Causal logic ↗
 - (D) Deductive logic ✓
105. The term aude sapere was first used by:
- (A) Hippocrates
 - (B) Horace ✓
 - (C) Hahnemann ?
 - (D) Hering

106. Which of the following symptom exemplifies Boenninghausen's concept of Quomodo? Mod
- (A) Headache < 8 P.M. ✗
- (B) Cough with polyuria ✗
- (C) Coryza > open air
- (D) Heaviness in right hypochondrium ✗
107. Concept of determinative symptom was elucidated by:
- (A) Garthe Boericke ✗
- (B) J. T. Kent ✗
- (C) Richard Hughes ✗
- (D) P. Sankaran ✗
108. During drug proving, the pathogenetic powers of narcotic substances are noted during:
- (A) Primordial action
- (B) Primary action ✓
- (C) Secondary action
- (D) Quaternary action
109. Rudolf Steiner is well known for his work on:
- (A) Isopathy ✗
- (B) Drug dynamization ✗
- (C) Anthroposophical medicine ✓
- (D) Germ theory of disease ?
110. During human drug proving, exotic vegetable substances should be proved in the form of:
- (A) Freshly expressed juice
- ✓(B) Powder or tincture prepared with alcohol when they were in the fresh state
- (C) Raw form
- (D) Fifty millesimal scale of potency

111. Grand constitutional remedy is:
- (A) One remedy for acute and chronic state †
 - (B) Sulphur 200
 - (C) Hahnemann's favourite remedy †
 - (D) Specific remedy for sycotic miasm †
112. The Fifty millesimal scale of potency is described by Hahnemann as:
- (A) Mother potency
 - (B) Imitation method of drug dynamisation
 - (C) New altered but perfected method of drug dynamisation
 - (D) Non plus ultra
113. Wilder's law of original value is a:
- (A) Doctrine of acute miasm
 - (B) Dose dependent phenomenon
 - (C) Isopathic mode of treatment
 - (D) Human drug proving
114. Aperient remedies refers to:
- (A) Purgatives to stimulate evacuation of bowels
 - (B) Application of catharides to induce suppuration
 - (C) Blood letting
 - (D) Moral remedies
115. Gnothi seauton refers to:
- (A) Know thyself
 - (B) Treatment of anal fistula with seaton
 - (C) Venesection
 - (D) Trepanation
116. The most important step of Plussing method of drug administration is:
- (A) Taking medicinal globules dry on tongue
 - (B) Dissolving globules of the remedy in water •
 - (C) Inhaling medicinal globules
 - (D) Intravenous administration of remedy

117. In which of the following articles did Hahnemann introduce the term 'Homoeopathy'?
- (A) On the effects of coffee
 - (B) The medical observer
 - (C) Aesculapius in the balance
 - (D) Indications of homoeopathic employment of medicine in ordinary practice
118. A child screams when urinating. This is suggestive of which miasm?
- (A) Psora
 - (B) Pseudo psora
 - (C) Sycosis
 - (D) Syphilis
119. Single dose wait and watch method was adopted by Hahnemann in which edition of Organon of medicine?
- (A) 2nd
 - (B) 4th
 - (C) 5th
 - (D) 6th
120. Administration of well selected remedy in case of acute viral gastro-enteritis should ideally lead to which of the following Kent's observation?
- (A) 1st
 - (B) 2nd
 - (C) 4th
 - (D) 7th
121. Foreign body that excited inflammation in cornea is a:
- (A) Causa occasionalis
 - (B) Non plus ultra
 - (C) Derivation
 - (D) Chronic miasma
122. Which of the following was condemned by Hahnemann?
- (A) Jenner's cowpox inoculation
 - (B) Homoeopathic treatment during pregnancy
 - (C) Similia similibus curentur
 - (D) Symptomatic treatment

123. Fever after overexertion belongs to class of:
- (A) Acute sporadic disease †
 - (B) Acute epidemic disease †
 - (C) Acute individual disease ✓
 - (D) Acute endemic disease †
124. Hahnemann's example of half acute miasm was:
- (A) Scabies
 - ✓(B) Hydrophobia
 - (C) Plague
 - (D) Mumps
125. Which one of the following in BBCR does not pertain to Gardener's syndrome?
- (A) Colon, affected
 - (B) Bones, swelling, tumour etc
 - ✓(C) Wens
 - (D) Myelitis
126. A sensation probably arises in crico-pharyngeus muscle, is best designated by which rubric in BBCR?
- (A) Globus
 - (B) Paralytic
 - (C) Splinter
 - (D) Puffiness
127. Which is not true regarding rubrics respiration stertorous and stridulous?
- (A) Stertor is low pitched and stridor is high pitched
 - ✗(B) Stertor is caused by airway obstruction above the level of larynx and stridor below
 - (C) Stertor is caused by aspirated foreign body and stridor occurs due to damage to vagus nerve
 - (D) Stertor is audible in post-ictal phase

128. Rubric 'Croup' means:

- (A) Acute Laryngitis
- (B) Acute Laryngotracheo-bronchitis ✓
- (C) Acute Epiglottitis
- (D) Acute Bronchitis

129. Eisenmenger's syndrome is characterised by which of the following rubrics?

- (A) Carphology →
- (B) Chlorosis →
- (C) Cobweb sensation →
- (D) Cyanosis ✓

130. The closest rubric to digital clubbing in BBCR is under the chapter Upper Extremities is:

- (A) Emaciation, fingers
- (B) Contraction, fingers
- (C) Creaking, fingers
- (D) Distortion, finger

131. For a condition called as 'Asterixis' which rubric is most appropriate in BBCR?

- (A) Sinking section
- (B) Offensiveness
- (C) Trembling, shaking etc of external parts
- (D) Fatigue

132. For 'Hysterical fugue' the most appropriate rubric in Kent' Repertory is:

- (A) Travel desire to
- (B) Ecstasy
- (C) Extravagance
- (D) Mirth

133. The sides of the Body & Drug Affinities' which have been added in the formation of Kent's Repertory is primarily a work of:
- (A) J. T. Kent †
 - (B) C. M. Boger ✓
 - (C) Hahnemann †
 - (D) T. F. Allen
134. Pathological generals are best represented in:
- (A) Kent's Repertory
 - (B) Therapeutic Pocket Book
 - (C) Knerr Repertory
 - (D) Boger Boenninghausen's Characteristic Repertory ✓
135. Chapter on concordances in therapeutic Pocket Book has _____ remedies.
- (A) 110
 - (B) 120
 - ✓ (C) 125
 - (D) 140
136. Sign 'π' in Knerr Repertory denotes:
- (A) Symptoms observed on sick only
 - (B) Toxicological extracts
 - ✓ (C) Cured symptoms
 - (D) Cross references
137. Friedrich Schroyens 'Synthesis Repertory' has _____ grades.
- ✓ (A) 1
 - (B) 2
 - (C) 3
 - ✓ (D) 4

138. Synthetic Repertory embraces _____ works in its formation.
- (A) 10
(B) 16
(C) 12
(D) 18
139. 'Atheroma' is found as a subrubric under which main rubric under the section generalities of Kent Repertory?
- (A) Apoplexy
 (B) Indurations
 (C) Haemorrhage
 (D) Tumours
140. One of the following rubrics should also be consulted when treating warts. Which one is that?
- (A) Cicatrices
 (B) Callous
(C) Excrescence
(D) Comedones
141. Which rubric in Kent Repertory should be consulted for the condition known as 'Housemaid's Knee'?
- (A) Bursae
(B) Anchylosis
(C) Arthritic nodosities
(D) Bunions
142. Jerky, semi-purposive movements of limbs, face and trunk due to lesion in caudate nuclei are represented as rubric _____ in Kent Repertory.
- (A) Clumsiness
(B) Clenching
 (C) Chorea
(D) Tottering

143. One of the following rubrics in Kent Repertory, is characterised by dissociated sensory loss (loss or depression of pain or temperature sense with preservation of other sensory modalities) :
- (A) Caries of spine ✓
 - (B) Bifida
 - (C) Abcess
 - (D) Opisthotonos
144. Rubric milk, non pregnant female at puberty is found under the chapter _____ in Kent Repertory:
- (A) Chest
 - (B) Female organs
 - (C) Head
 - (D) Generalities
145. Rubric Metrorrhagia from Kent Repertory means:
- (A) Cyclic bleeding per vagina ✗
 - (B) Acyclic bleeding per vagina ✓
 - (C) Excessive bleeding per vagina
 - (D) Clotted bleeding per vagina ✗
146. Which one of the following subrubrics for menses, copious from Kent Repertory will help in diagnosis of medical condition?
- (A) Exertion aggravates
 - (B) Menopause during
 - (C) Withered women in
 - (D) Rheumatic constitutions
147. Painful erection of the penis after with a downward curvature that may be present in a congenital condition or accompany gonorrhoea' is best described by the rubric _____ in Kent Repertory.
- (A) Chordee
 - (B) Empyocele ✗
 - (C) Haematocele ✗
 - (D) Balanitis

148. 'Malena' is found as _____ in Kent Repertory in the chapter of stool.

- (A) Lienteric
- (B) Scrapings of intestines
- (C) Curdled
- (D) Tarry

149. 'Recedes, stool' should be found as _____ in Kent Repertory.

- (A) Stricture
- (B) Unnoticed stool
- (C) Urging ineffectual
- (D) Constipation

150. Grattage test is done to diagnose:

- (A) Psoriasis
- (B) Lichen planus
- (C) Dermatophytosis
- (D) Vitiligo

* * * * *

www.homeobook.com