# CHEMISTRY

# SCIENCE Paper – 2

### (Two hours)

Answers to this Paper must be written on the paper provided separately.

You will **not** be allowed to write during the first **15** minutes.

This time is to be spent in reading the Question Paper.

The time given at the head of this paper is the time allowed for writing the answers.

Section I is compulsory. Attempt any four questions from Section II.

The intended marks for questions or parts of questions are given in brackets [].

## **SECTION I (40 Marks)**

Attempt all questions from this Section

#### **Question 1**

(a) Fill in the blanks from the choices given in brackets:

- (i) The energy required to remove an electron from a neutral isolated gaseous atom and convert it into a positively charged gaseous ion is called \_\_\_\_\_\_\_. (electron affinity, ionisation potential, electronegativity)
- (ii) The compound that does not have a lone pair of electrons is \_\_\_\_\_\_. (water, ammonia, carbon tetra chloride)

(iii) When a metallic oxide is dissolved in water, the solution formed has a high concentration of \_\_\_\_\_\_ ions.  $(H^+, H_3O^+, OH^-)$ 

- (iv) Potassium sulphite on reacting with hydrochloric acid releases gas. ( $Cl_2$ ,  $SO_2$ ,  $H_2S$ )
- (v) The compound formed when ethene reacts with Hydrogen is  $(CH_4, C_2H_6, C_3H_8)$

#### This Paper consists of 8 printed pages.

T17 522 © Copyright Reserved. **Turn Over** 

- (b) Choose the *correct answer* from the options given below:
  - (i) A **chloride** which forms a precipitate that is soluble in excess of ammonium hydroxide, is:
    - 1. Calcium chloride
    - 2. Ferrous chloride
    - 3. Ferric chloride
    - 4. Copper chloride
  - (ii) If the molecular formula of an organic compound is C10H18 it is:
    - 1. alkene
    - 2. alkane
    - 3. alkyne
    - 4. Not a hydrocarbon

(iii) Which of the following is a common characteristic of a covalent

#### compound?

- 1. high melting point
- 2. consists of molecules
- 3. always soluble in water
- 4. conducts electricity when it is in the molten state
- (iv) To increase the **pH** value of a neutral solution, we should add:
  - 1. an acid
  - 2. an acid salt
  - 3. an alkali
  - 4. a salt

(v) Anhydrous iron(III) chloride is prepared by:

- 1. direct combination
- 2. simple displacement
  - 3. decomposition
  - 4. neutralization

- (c) , Identify the substance underlined, in each of the following cases:
  - (i) <u>**Cation**</u> that does not form a precipitate with ammonium hydroxide but forms one with sodium hydroxide.
  - (ii) The <u>electrolyte</u> used for electroplating an article with silver.
  - (iii) The **particles** present in a liquid such as kerosene, that is a non electrolyte.
  - (iv) An organic compound containing -- COOH functional group.
  - (v) A <u>solid</u> formed by reaction of two gases, one of which is acidic and the other basic in nature.
- (d) Write a *balanced chemical equation* for each of the following:
  - (i) Action of cold and dilute Nitric acid on Copper.
  - (ii) Reaction of Ammonia with heated copper oxide.
  - (iii) Preparation of methane from iodomethane.
  - (iv) Action of concentrated sulphuric acid on Sulphur.
  - (v) Laboratory preparation of ammonia from ammonium chloride.
- (e) State *one* relevant observation for each of the following reactions:
  - (i) Addition of ethyl alcohol to acetic acid in the presence of concentrated Sulphuric acid.
  - (ii) Action of dilute Hydrochloric acid on iron (II) sulphide.
  - (iii) Action of Sodium hydroxide solution on ferrous sulphate solution.
  - (iv) Burning of ammonia in air.
  - (v) Action of concentrated Sulphuric acid on hydrated copper sulphate.
- (f) (i) Draw the *structural formula* for each of the following:
  - 1. 2, 3 dimethyl butane
  - 2. diethyl ether
  - 3. propanoic acid

[5]

[5]

(ii) From the list of terms given, choose the most appropriate term to match the given description.

(calcination, roasting, pulverisation, smelting)

 $\mathcal{V}$ . Crushing of the ore into a fine powder.

- 2. Heating of the ore in the absence of air to a high temperature.
- (g) (i) Calculate the number of gram atoms in 4.6 grams of sodium (Na = 23).
  - (ii) Calculate the percentage of water of crystallization in CuSO<sub>4</sub>.5H<sub>2</sub>O (H = 1, O = 16, S = 32, Cu = 64)
  - (iii) A compound of X and Y has the empirical formula XY<sub>2</sub>. Its vapour density is equal to its empirical formula weight. Determine its molecular formula.
- (h) Match the atomic number 2, 4, 8, 15, and 19 with each of the following:
  - (i) A solid non metal belonging to the third period.
  - (ii) A metal of valency 1.
  - (vii) A gaseous element with valency 2.
  - (iv) An element belonging to Group 2.
    - A rare gas.

### **SECTION II (40 Marks)**

Attempt any four questions from this Section

# **Question 2**

(a) Arrange the following as per the instruction given in the brackets:

[4]

[5]

- (i) He, Ar, Ne (Increasing order of the number of electron shells)
- (ii) Na, Li, K (Increasing Ionisation Energy)
- (iii) F, Cl, Br (Increasing electronegativity)
- (iv) Na, K, Li (Increasing atomic size)

- (b) State the *type of Bonding* in the following molecules:
  - (i) Water vo
  - (ii) Calcium oxide
- (c) Answer the following questions:
  - (i) How will you distinguish between Ammonium hydroxide and Sodium hydroxide using copper sulphate solution?
  - (ii) How will you distinguish between dilute hydrochloric acid and dilute sulphuric acid using lead nitrate solution?
- (d) Identify the salts  $\mathbf{P}$  and  $\mathbf{Q}$  from the observations given below:
  - (i) On performing the flame test salt P produces a lilac coloured flame and its solution gives a white precipitate with silver nitrate solution, which is soluble in Ammonium hydroxide solution.
  - (ii) When dilute HCl is added to a salt **Q**, a brisk effervescence is produced and the gas turns lime water milky.

When NH<sub>4</sub>OH solution is added to the above mixture (after adding dilute HCl), it produces a white precipitate which is soluble in excess NH<sub>4</sub>OH solution.

### Question 3

- (a) Draw an *electron dot diagram* to show the formation of each of the following [4] compounds:
  - (i) Methane
  - (ii) Magnesium Chloride
  - [H = 1, C = 6, Mg = 12, Cl = 17]
- (b) State the *observations* at the anode and at the cathode during the electrolysis [4] of:
  - (i) fused lead bromide using graphite electrodes.
  - (ii) copper sulphate solution using copper electrodes.

[2]

[2]

- (c)
- Select the ion in each case, that would get selectively discharged from the aqueous mixture of the ions listed below:
- (i)  $SO_4^{2-}$ ,  $NO_3^+$  and  $OH^-$
- (ii)  $Pb^{2+}$ ,  $Ag^{+}$  and  $Cu^{2+}$

# **Question 4**

(a) Certain blank spaces are left in the following table and these are labelled as A, [5]
 B, C, D and E. Identify each of them.

	Lab preparation of	Reactants used	Products formed	Drying agent	Method of collection
(i)	HCl gas	$NaCl + H_2SO_4$	A	conc. H <sub>2</sub> SO <sub>4</sub>	B
(ii)	NH3 gas	C	Mg(OH) <sub>2</sub> NH <sub>3</sub>	D	E

(b)

Write balanced chemical equations to show:

- (i) The oxidizing action of conc. Sulphuric acid on Carbon.
- (ii) The behavior of H<sub>2</sub>SO<sub>4</sub> as an acid when it reacts with Magnesium.
- (iii) The dehydrating property of conc. Sulphuric acid with sugar.
- (c) Write balanced chemical equations to show how SO<sub>3</sub> is converted to Sulphuric [2] acid in the *contact process*.

## **Question 5**

- (i) Propane burns in air according to the following equation: C<sub>3</sub>H<sub>8</sub> + 5O<sub>2</sub> → 3CO<sub>2</sub> + 4H<sub>2</sub>O. What volume of propane is consumed on using 1000 cm<sup>3</sup> of air, considering only 20% of air contains oxygen?
  - (ii) The mass of 11.2 litres of a certain gas at s.t.p. is 24 g. Find the gram molecular mass of the gas.

6

T17 522

[3]

[4]

- (b) A gas cylinder can hold 1 kg of hydrogen at room temperature and pressure:
  - (i) Find the number of moles of hydrogen present.
  - (ii) What weight of CO<sub>2</sub> can the cylinder hold under similar conditions of temperature and pressure? (H= 1, C = 12, O = 16)
  - (iii) If the number of molecules of hydrogen in the cylinder is X, calculate the number of CO<sub>2</sub> molecules in the cylinder under the same conditions of temperature and pressure.
  - (iv) State the law that helped you to arrive at the above result.
- (c) Write a *balanced chemical equation* for the preparation of each of the following [2] salts:
  - (i) Copper carbonate
  - (ii) Ammonium sulphate crystals

### **Question 6**

(a) Give a *balanced chemical equation* for each of the following:

- (i) Action of conc. Nitric acid on Sulphur.
- (ii) Catalytic oxidation of Ammonia.
- (iii) Laboratory preparation of Nitric acid.
- (iv) Reaction of Ammonia with Nitric acid.
- (b) Identify the *term* or *substance* based on the descriptions given below:
  (d) Ice like crystals formed on cooling an organic acid sufficiently.
  - (ii) Hydrocarbon containing a triple bond used for welding purposes.
  - (iii) The property by virtue of which the compound has the same molecular formula but different structural formulae.
  - (jv) The compound formed where two alkyl groups are linked by C = group.
- (c) Give a *balanced chemical equation* for each of the following:
  - (i) Preparation of ethane from Sodium propionate

(ii) Action of alcoholic KOH on bromoethane.

#### **Turn Over**

[4]

[4]

[2]

## **Question** 7

- (a) Name the following:
  - (i) The process of coating of iron with zinc.
  - (ii) An alloy of lead and tin that is used in electrical circuits.
  - (iii) An ore of zinc containing its sulphide.
  - (iv) A metal oxide that can be reduced by hydrogen.
- (b) Answer the following questions with respect to the electrolytic process in the [3] extraction of aluminum:
  - (i) Identify the components of the electrolyte other than pure alumina and the role played by each.
  - (ii) Explain why powdered coke is sprinkled over the electrolytic mixture.
- (c) Complete the following by selecting the correct option from the choices given:
  - (i) The metal which does not react with water or dilute H<sub>2</sub>SO<sub>4</sub> but reacts with concentrated H<sub>2</sub>SO<sub>4</sub> is \_\_\_\_\_. (Al/Cu/Zn/Fe)
  - (ii) The metal whose oxide, which is amphoteric, is reduced to metal by carbon reduction \_\_\_\_\_\_. (Fe/Mg/Pb/Al)
  - (iii) The divalent metal whose oxide is reduced to metal by electrolysis of its fused salt is \_\_\_\_\_\_. (Al/Na/Mg/K)

8

[3]

l