

| Q.No. | Type | Section | Key | Marks |
|-------|------|---------|-----|-------|
| 1 | MCQ | GA | C | 1 |
| 2 | MCQ | GA | C | 1 |
| 3 | MCQ | GA | C | 1 |
| 4 | MCQ | GA | C | 1 |
| 5 | MCQ | GA | A | 1 |
| 6 | MCQ | GA | C | 2 |
| 7 | MCQ | GA | A | 2 |
| 8 | MCQ | GA | C | 2 |
| 9 | MCQ | GA | B | 2 |
| 10 | MCQ | GA | D | 2 |
| 1 | MCQ | MT | A | 1 |
| 2 | MCQ | MT | D | 1 |
| 3 | MCQ | MT | C | 1 |
| 4 | MCQ | MT | B | 1 |
| 5 | MCQ | MT | C | 1 |
| 6 | MCQ | MT | B | 1 |
| 7 | MCQ | MT | B | 1 |
| 8 | MCQ | MT | B | 1 |
| 9 | MCQ | MT | A | 1 |
| 10 | MCQ | MT | D | 1 |
| 11 | MCQ | MT | A | 1 |
| 12 | MCQ | MT | C | 1 |
| 13 | MCQ | MT | D | 1 |

| Q.No. | Type | Section | Key | Marks |
|-------|------|---------|----------------|-------|
| 14 | MCQ | MT | C | 1 |
| 15 | MCQ | MT | A | 1 |
| 16 | MCQ | MT | B | 1 |
| 17 | MCQ | MT | C | 1 |
| 18 | MCQ | MT | B | 1 |
| 19 | MCQ | MT | C | 1 |
| 20 | MCQ | MT | D | 1 |
| 21 | MCQ | MT | B | 1 |
| 22 | MCQ | MT | D | 1 |
| 23 | NAT | MT | 1.0 to 1.4 | 1 |
| 24 | NAT | MT | 0.153 to 0.155 | 1 |
| 25 | NAT | MT | 16.0 to 17.4 | 1 |
| 26 | MCQ | MT | A | 2 |
| 27 | MCQ | MT | D | 2 |
| 28 | MCQ | MT | A | 2 |
| 29 | MCQ | MT | A | 2 |
| 30 | MCQ | MT | C | 2 |
| 31 | MCQ | MT | D | 2 |
| 32 | MCQ | MT | A | 2 |
| 33 | MCQ | MT | B | 2 |
| 34 | MCQ | MT | B | 2 |
| 35 | MCQ | MT | D | 2 |
| 36 | NAT | MT | 2.90 to 3.10 | 2 |

| Q.No. | Type | Section | Key | Marks |
|--------------|-------------|----------------|----------------|--------------|
| 37 | NAT | MT | 0.59 to 0.61 | 2 |
| 38 | NAT | MT | 17 to 19 | 2 |
| 39 | NAT | MT | 8.50 to 9.00 | 2 |
| 40 | NAT | MT | 0.04 to 0.06 | 2 |
| 41 | NAT | MT | 18660 to 18690 | 2 |
| 42 | NAT | MT | 0.11 to 0.13 | 2 |
| 43 | NAT | MT | 0.039 to 0.042 | 2 |
| 44 | NAT | MT | 2347 to 2357 | 2 |
| 45 | NAT | MT | 1927 to 1937 | 2 |
| 46 | NAT | MT | 1485 to 1495 | 2 |
| 47 | NAT | MT | 0.4 to 5.1 | 2 |
| 48 | NAT | MT | 11.0 to 12.5 | 2 |
| 49 | NAT | MT | 155.0 to 165.0 | 2 |
| 50 | NAT | MT | 330 to 335 | 2 |
| 51 | NAT | MT | 1160 to 1260 | 2 |
| 52 | NAT | MT | 130.0 to 134.0 | 2 |
| 53 | NAT | MT | 58.0 to 60.2 | 2 |
| 54 | NAT | MT | 3.6 to 4.2 | 2 |
| 55 | NAT | MT | 955 to 965 | 2 |