16E(A)

MATHEMATICS, Paper - II

(English version)

(Parts A and B)

Time: 2 hrs. 45 min.]

[Maximum Marks: 40

Instructions:

- 1. 15 minutes of time is allotted exclusively for reading the Question Paper and 2.30 hours for writing the answers.
- 2. Part A answers should be written in separate answer book.
- 3. There are three sections in Part-A.
- 4. Answer all questions.
- Every answer should be written visibly and clearly.
- 6. There is internal choice in section III.

Part - A

Time: 2 Hours

Marks:30

SECTION - I

 $(Marks: 4\times 1=4)$

Note:

- (i) Answer all the questions.
- (ii) Each question carries 1 mark.
- 1. Find the co-ordinates of the point, which divides the line segment joining (2, 0) and (0, 2) in the ratio 1:1.
- 2. 'O' is the centre of a circle. PQ is a tangent to the circle at Q from the external point P. If radius of the circle is 9 cm and PQ = 12 cm, find the distance of P from O.

16E(A)/New

[1]

P.T.O.

"forest very 3

- Find the value of x, if $2 \sin x = \sqrt{3}$.
- You are writing a test of 40 objective type questions. Each question carries 1 mark. What is the probability of marks you may get to be in multiple of 5?

 $(Marks: 5\times 2=10)$

Free Free Corner

Trapp 1 & here, 35 paral f

the mines of the half the section for

SATISLE A THE STATE THOUSENESS SERVICES AND

desired and to an ambiguous against the

and (0, 2) is the ratio 1 - 1

Note:

- (i) Answer all questions.
- Each question carries 2 marks.
- Find the value of k, for which the points (7, 2), (5, 1) and (3, k) are collinear.
- that of an every element to a return or a control of the Find $\angle B$, if $\tan (A - B) = \frac{1}{\sqrt{3}}$ and $\sin A = \frac{\sqrt{3}}{2}$. Also find $\cos B$. (A, B < 90°) 6.
- Give two different examples of pair of 7.
 - Similar figures.
 - Non-similar figures. (ii)
- There are 5 cards in a box with numbers 1 to 5 written on them. If 2 cards are 8. picked out from the box, write all the possible outcomes and find the probability of getting both even numbers.
- A tower is $100\sqrt{3}$ m high. Find the angle of elevation of its top when observed from a point 100 m away from the foot of the tower.

SECTION - III (Marks: $4 \times 4 = 16$)

Water Carlo

Note:

- Answer all questions. (i)
- Each question carries 4 marks. (ii)
- A wire of length 18 m had been tied to an electric pole at angle of elevation **10.** (a) 30° with the ground. As it is covering a long distance, it was cut and tied to the pole at an angle of 60° with the ground. Now, find how much length of the wire was cut?

OR

raw a circle of radius 3 cm. Take a point 'P' at a distance of 5 cm from

(b) Consider the following distribution of daily wages of 50 workers of a factory.

	Daily Wages (in Rs)	200-250	250-300	300-350	350-400	400-450
4	No. of Workers	12	14 5	8	Classes	10

Find the mean daily wage of the workers by choosing an appropriate method.

11. (a) Prove that

137

$$(\sin\theta - \csc\theta)^2 + (\cos\theta - \sec\theta)^2 = \cot^2\theta + \tan^2\theta - 1$$

as more should be written. OR wand clearly

- (b) Check whether the points (3, 0), (6, 4) and (-1, 3) are the vertices of a right-angled isosceles triangle or not. Also find the area of the triangle.
- 12. (a) A chord of circle of radius 10 cm subtends a right angle at the centre.
 Find the area of the corresponding:
 - (i) Minor segment.
 - (ii) Major segment.

(use
$$\pi = 3.14$$
)

OR

(b) From a deck of 52 playing cards, King, Ace and 10 of Clubs were removed and remaining cards were well shuffled. If a card is drawn at random from the remaining, find the probability of getting a card of

as it tangent to the circle star than the external

2 am and PQ = 12 cm. It all the consumer of

- (i) Club
- (ii) Ace
- (iii) Diamond king
- (iv) Club 5.

NA

13. (a) Draw a circle of radius 3 cm. Take a point 'P' at a distance of 5 cm from the centre of the circle. From P, draw 2 tangents to the circle.

OR

(b) Draw "greater than Ogive curve" for the following data.

TO THE REPORT OF THE PARTY AND THE PARTY AND

Classes	0-10	10-20	20-30	30-40	40-50	50-60	60-70
Frequency	4	4	8	10	12	8	4

16E(B)

MATHEMATICS, Paper - II

(English version)

(Parts A and B)

Time: 2 hrs. 45 min.]

[Maximum Marks: 40

Instructions: Write the answers to the questions in this Part-B on the Question paper itself and attach it to the answer book of Part-A.

Part - B

Time: 30 minutes

Marks: 10

- (i) Each question has four options. Write the CAPITAL LETTERS (A, B, C, D) showing the correct answer for the following questions in the brackets provided against them.
- (ii) Marks will not be awarded for overwritten answers.
- (iii) All questions carry equal marks.

SECTION - IV

 $(Marks: 20 \times \frac{1}{2} = 10)$

Note:

- (i) Answer all questions.
- (ii) Each questión carries ½ mark.
- 14. If origin is the centroid of a triangle, whose vertices are

(3, 2), (-6, y) and (3, -2), then y =

1

(A) 0.

(B) 3

(C) 2

(D) (

16E(B)/New NA

[1]

15.	Area	s of 2 simila	ar triangles are	$100 \mathrm{cm}^2$	and 64 cn	n ² .	4		
			bigger triangle			- 4			
			of the smaller					[]
	(A)	10 cm		(B)	6 cm				
. 3	(C)	4 cm		(D)	8 cm				
			***			SW	¥		
16.	Ifsir	$x = \frac{5}{7}$, then	$n \csc x = \dots$		7			[1
9		5	F 557 4	(D)	7				
	(A)	7		· (B)	5				
	(C)	$\frac{2}{5}$		(D)	$\frac{2}{7}$				
9 1	**	*	9						
17.	Give	en ∠A =75°	$\angle B = 30^{\circ}$, th	en tan (A	x−B) =		3	[]
	(A)	$\sqrt{3}$		(B)	$\frac{1}{\sqrt{3}}$			1	**
	(C)	1		(D)	$\frac{1}{\sqrt{2}}$				
18.	If P	(E) = 0.26, t	then $P(\overline{E}) =$					[1
	(A)	0.74		(B)	0				
	(C)	0.26		(D)	1	65			
	(0)	0.20		(2)					
19.	Med	lian of 2, 3,	4, 5, 6, 7 is			-5	a d x	[.]
	(A)			(B)	5.5			25 ×	8
	(C)	5		(D)	4.5				
a **					N	2 20		55 27	-
20.	764-6745.AT		llowing cannot	7.7		s?	19:3	L	
	(A)		W (200	(B)	(0, 2)		1.		
	(C)	(2, 0)		(D)	(4, 0)				
21.			le with centre ' '. Then the nur					ă a	
(5) (5)		he circle is .						[1
	(A)	1		(B)	2	5			
	(C)	0		(D)	3				
N		0 100							
		an U		[9]		* #			


	22.	If s	$ec \theta + tan \theta = \frac{1}{3}$, then so	$ec \theta - tan \theta = .$			Ţ]
		(A)	3	(B)	$\frac{1}{2}$	V. Sell	×	7
	8	(C)	1	(D)	0			
	23.	Pro		ſ	1			
		(A)	$\frac{1}{6}$	(B)	1 7		1201	
		(C)	$\frac{6}{7}$	(D)	0			
	24.		elect the leader of your			4.3		
			ch of the following me	CH CONSTRUCTION		l?	[]
		-	Mean	(B)	Mode	41	5 8	
		(C)	Median	(D)	Range		2 2	
	25.	In F	Ieron's formula, area o	of triangle = v	s(s-a)(s-b)	$\overline{)(s-c)}$,		92
		s is	of the triangle.				1	1
		(A)	Perimeter.	(B)	Height.			1000
		(C)	Half of perimeter.	(D)	None.		***	
= ()	96	A	lo mode hu the	1 1: 1			9.	
	26.		le made by the minute ninutes is	s-nand in a ci	ock during a	period of	°-,	•
		(A)	120°	(D)	20°		L	1
		(C)	360°	(B)	90°	4 × ***		
		(0)	300	(D)	90			
	27.	Whi	ch of the following situ	ations have e	mally likely	events?	r	7
		(1)	Getting 1 or 2 or 3 or		77 D1 1470			() () () () () () () () () ()
		(2)	Winning or loosing a					-
		(3)	Head or Tail, when a					
		(A)	1 and 2	(B)	2 and 3		4.51	
		(C)	1 and 3	(B) (D)	All		5,100	
	28.	The	probability of picking	a letter from t	the set of Eng	rlish		
Ε,			abets is $\frac{5}{26}$. That alp		N 000 32	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	r	1
		(A)	consonant.	(B)	vowel.			٠,
		(C)	any alphabet.	(D)	none.			
8	2							
	100	(D) A	Town	F03		18		
	NA	(B)/N	iew	[3]	. 60			
100								

- 29. If $\triangle PQR \sim \triangle XYZ$ and $\angle X = 30^{\circ}$, $\angle Q = 50^{\circ}$, then $\angle Z =$
- I 1

(A) 100°

- (B) ∠R
- (C) both A and B.
- (D) not known.
- **30.** From the given figure, $x = \dots$





(A) 3

 $(\mathbf{B}) = 2$

(C) 5

- (D) 1
- 31. Which of the following is the point of intersection of X axis and the line y = x + 5?




(A) (0,5)

(B) (5,0)

(C) (0, -5)

- (\mathbf{D}) (-5, 0)
- 32. Observe the figure. Length of the ladder =






(A) 5 m

(B) 10 m

(C) 20 m

- (D) 2.5 m
- 33. From the given graph of Ogives, median is





- (A) 15
- (B) 10
- (C) 40
- (D) 20