

## Chapter 1 Review of C++ Programming

Basics of C++	
Character set	Fundamental unit of C++ language. Classified into letters, digits, special characters and white spaces.
Tokens	Building blocks of C++ programs. Classified into keywords, identifiers, literals, punctuators and operators.
Keywords	Reserved words that convey specific meaning to the language compiler.
Identifiers	User-defined words to identify memory locations, statements, etc. Identifiers include variables, labels, function names, etc.
Literals (Constants)	Tokens that do not change their value during the program run. Classified into integer constants, floating point constants, character constants and string constants.
Operators	Symbols that represents some operations. They consist of arithmetic, relational and logical operators. There are some special operators named <i>get from</i> (>>), <i>put to</i> (<<) and assignment (=). Another category of operators include increment (++), decrement (--) and arithmetic assignment (+=, -=, *=, /=, %=) operators.
Punctuators	Special characters like comma (,), semi colon (;), etc. used for the perfection of syntax of various constructs of the language.
Data types	These are means to identify the type of data and associated operations. Data types are classified into fundamental and user-defined data types. Fundamental data types include <code>int</code> , <code>char</code> , <code>float</code> , <code>double</code> and <code>void</code> .
Control statements	Two types – Selection statements (if, switch) Looping statements (while, for, do – while) while and for are entry controlled loops do – while is exit controlled loop
Looping statements	There will be four components – initialization expression, test expression, update expression, loop-body. In the case of entry-controlled loop, body will be executed only after evaluation the test expression (condition). But, in the case of the exit-controlled loop, condition will be checked only after executing the loop-body.

### switch V/s if – else if statement

Switch	if – else if
<ul style="list-style-type: none"> <li>• Only equality conditions are checked.</li> <li>• Program control goes outside the block only if break is used after each case.</li> <li>• default case is for an action where all the conditions fail.</li> </ul>	<ul style="list-style-type: none"> <li>• Any relational expression can be used for conditions.</li> <li>• No need of break to take the control outside after executing a block.</li> <li>• else is used for an action where all the conditions fail.</li> </ul>



## Chapter 2 Arrays

An **array** is a collection of elements of the same type placed in contiguous memory locations. Arrays are used to store a set of values of the same type under a single variable name. Each element in an array can be accessed using its position in the list called index number or subscript.

The syntax for declaring an array in C++ is as follows.

```
data_type array_name[size];
```

Eg: `int num[10];`

This statement declares an array named `num` that can store 10 integer numbers.

### Accessing array elements

Elements of an array are easily accessed using a **for** loop. For example, the elements in the above array can be displayed using the following loop:

```
for (i=0; i<5; i++)
    cout<<score[i];
```

### String handling using arrays

A character array can be used to store a string, since it is a sequence of characters. The array `char my_name[10];` can store a string of 9 characters. One location will be used to store '\0' (null character) as string terminator.

A string can be input using the statement:

```
cin >> my_name;
```

This statement can store a string without any white space (that is, only one word). If we want store strings containing white spaces (strings having more than one word) we can use `gets()` function, `getline()` function or `get()` function.

`cin.getline(my_name,10);` can accept a string containing white spaces. The functions `getline()` and `get()` are stream functions to input string and `gets()` is a console function.

Similarly to display string data we can use `puts()` function and `write()` function.



## Chapter 3 Functions

### Predefined functions

Type	Functions	Operation
(cstdio / stdio.h)	<b>getchar()</b>	To input a character
	<b>putchar()</b>	To display a character
Stream functions (iostream)	<b>get()</b>	To input a character To input a string of maximum 10 characters
	<b>getline()</b>	To input a string of maximum 10 characters
	<b>put()</b>	To display a character
	<b>write()</b>	To display a string of maximum 10 characters



## Web Technology

## Static web page V/s Dynamic web page

Static web page	Dynamic web page
The content and layout of a web page is fixed.	The content and layout may change during run time.
Static web pages never use databases.	Database is used to generate dynamic content through queries.

## Client side scripting V/s Server side scripting

Client side scripting	Server side scripting
Script is copied to the client browser	Script remains in the web server
Script is executed in the client browser	Script is executed in the web server and the web page produced is returned to the client browser

Client side scripting languages: JavaScript, VB Script

Server side scripting languages: PHP, JSP, ASP, Pearl

## Structure of HTML code

```
<HTML>
  <HEAD>
    <TITLE>    </TITLE>
  </HEAD>
  <BODY>
  </BODY>
</HTML>
```

## HTML Tags

Tags	Use	Attributes	Values and Purpose
<HTML>	To start an HTML document		
<HEAD>	To specify the head section of an HTML document.		
<TITLE>	This tag pair contains the text to be displayed in the title bar of browser.		
<BODY>	Defines the body section of the web page.	<b>Bgcolor</b>	Colour for the background of a web page.
		<b>Background</b>	Image as the background of a web page.
		<b>Text</b>	Colour of the text in the web page.

Tags	Use	Attributes	Values and Purpose
<H1> ..... ..... <H6>	To provide different levels of headings.	<b>Align</b>	<b>“left”, “right” and “center”</b> are the values.
 	To break the current line of text and continues in the next line. No attributes.		
<P>	To create a paragraph leaving a blank line.		
<HR>	To draw a horizontal line across the width of the browser window		



## Computer Applications – XII

give hyperlinks. **Href** is the main attribute of **<A>** tag. The URL (address of the web page/site) is given as its value. There are two types of linking – internal linking and external linking.

### Creating Table in Web page

Tags	Use	Attributes	Values and Purpose
<TABLE>	To create table	<b>Border</b>	Thickness of the border line around the table.
<TR>	To specify a row in a table		
<TH>	To specify the heading cell.		
<TD>	To specify the data in a cell.		

### Input controls in Forms

Textbox – To input a line of text

Password box – To input passwords

Option button (Radio button) – To select an item from a groups of options

Checkbox – To select one or more items in a group

List box – To select one or more items from list of items

Text area – To input multi line text

Submit button – To submit data to the Form handler

Reset button – To clear the entries in the Form

////////////////////////////////////

## Chapter 6

### Client side Scripting using JavaScript

**<SCRIPT> tag:** To embed JavaScript code in an HTML file.

**Data Types in JavaScript:** Number, String, Boolean

**Variables:** Used for storing values. Declared using the keyword **var** as: **var x;**

### Operators

Arithmetic operators	+   -   *   /   %
Increment, decrement	++   --
Assignment operators	=   +=   -=   *=   /=   %=
Relational operators	<   <=   >   >=   ==   !=
Logical operators	&&   !
String concatenation	+

### Control Statements

if statements	if (test_expression) Statement;
	if (test_expression) statement_1; else statement_2;
	if (test_expression1) statement_1; else if (test_expression2) statement_2;









## Computer Applications – XII

- **Odoo:** Odoo is an open source ERP. In open source ERP the source code or program can be modified as necessary, based on the requirement of organization.
- **Microsoft Dynamics:** It provides a group of enterprise resource planning products primarily aimed at mid-sized enterprises. This package can be installed and used easily and it provides a good user interface.
- **Tally ERP:** Tally ERP is a business accounting software for accounting, inventory and payroll.

### Benefits of ERP system

- Improved resource utilization
- Better customer satisfaction
- Provides accurate information
- Decision making capability
- Increased flexibility
- Information integrity

## Chapter 11

## Trends and Issues in ICT

### Mobile communication services

Short Message Service (**SMS**) is a text messaging service in mobile communication systems that allows exchanging short text messages containing up to 160 characters.

Multimedia Messaging Service (**MMS**) is a standard way to send and receive messages that consists of multimedia content using mobile phones. MMS does not specify a maximum size for a multimedia message and it supports contents such as text, graphics, music, video clips and more.

Global Positioning System (**GPS**) is a satellite based navigation system that is used to locate a geographical position anywhere on earth, using its longitude and latitude. GPS is used for vehicle fleet tracking by transporting companies to track the movement of their trucks.

A **smart card** is a plastic card embedded with a computer chip / memory that stores and transacts data. The advantages of using smart cards is that it is secure (data is protected), intelligent (it can store and process data) and that it is convenient (it is easy to carry).

### Mobile Operating System

The software that manages the hardware, multimedia functions, Internet connectivity, etc. in a mobile device. Eg: Android from Google, iOS from Apple, BlackBerry OS from BlackBerry and Windows Phone from Microsoft.

### Cyber crimes against individuals:

- **Identity theft** occurs when someone uses another person's identifying information, like their name, credit card number, etc. without their permission to commit fraud or other crimes.
- **Harassment** means posting humiliating comments focusing on gender, race, religion, nationality at specific individuals in chat rooms, social media, e-mail, etc. is harassment.
- **Impersonation and cheating:** Impersonation is an act of pretending to be another person for the purpose of harming the victim.
- **Violation of privacy:** Violation of privacy is the intrusion into the personal life of another, without a valid reason.
- **Dissemination of obscene material:** The Internet has provided a medium for the facilitation of crimes like pornography. The distribution and posting of obscene material is one of the important cyber crimes today.