

2

Gas Laws and Mole Concept

Properties of gases

- Each gas contains a large number of minute particles called molecules.
- The volume of a gas molecule is very less when compared to the total volume of the gas.
- The molecules of a gas are in a state of rapid random motion in all directions.
- During this motion, the gas molecules collide with each other and also collide with the walls of the container in which it is kept.
- **As the collisions of molecules are perfectly elastic in nature, there is no loss of energy.**
- **The collision of the gas molecules with the walls of the container creates the pressure of the gas.**
- The force of attraction between the gas molecules is comparatively less.
- Energy of gas molecules is very high
- Distance between the molecules is very large
- Freedom of movement of molecules very high
- Attractive force between molecules and with the walls of the container is very low.

Volume of a gas

If a gas, kept in a cylinder having a volume of 1 litre, is completely transferred to another 5 litre cylinder, its volume becomes 5 litres.

Volume of a gas is the volume of the container which it occupies.

1. Pull the piston of a syringe backwards. Press the piston after closing the nozzle of the syringe.

What will happen to the volume of air inside the syringe?

When we press the piston after closing its nozzle, the volume of the gas inside the syringe decreases.

Temperature of a gas

When a gas is heated, the temperature increases. The kinetic energy of the molecules increases. The average kinetic energy is a measure of the temperature of a gas.

Pressure of a gas

Force exerted per unit area is called pressure.

Force on unit area = Total force exerted on the surface / Surface area




Relation between Volume of a gas and Pressure
(Boyle's Law)

2. The size of the air bubbles rising from the bottom of an aquarium increases. Give reason.

Here the temperature is constant. From bottom to top, the external pressure decreases.

Hence volume of the bubble increases. (Boyle's law).



Boyle's law states that at a constant temperature, volume of a definite mass of gas is inversely proportional to its pressure. If P is the pressure and V the volume, then $P \times V$ is a constant.

Relation between Volume of a gas and its Temperature
(Charle's Law)

3. Take a dry bottle (an injection bottle) having a rubber stopper. Fix an empty refill through the rubber stopper. Fill a drop of ink into the lower end of the refill tube, then close the bottle. Dip this arrangement in luke warm water.

What do you observe?

The ink rises up.

What is the reason for the rising of the ink upwards?

When the temperature increases, the volume of the gas inside the bottle increases. This will push the ink up.

What did you observe on cooling the bottle after taking it out? Why?

On cooling the bottle, the volume of the gas decreases. Then the ink goes down.

When the temperature increases, the volume of the gas increases. When temperature decreases, volume of the gas decreases.

The table given below shows the relation between volume and temperature of a fixed mass of a gas. (Pressure is kept constant)

Volume V	Temperature T (In Kelvin scale)	V/T
900 mL	300 K	$900 / 300 = 3$
960 mL	320 K	$960 / 320 = 3$
819 mL	273 K	$819 / 273 = 3$

[Note that the temperature is stated in kelvin scale]

Charle's law states that, At constant pressure, the volume of a definite mass of a gas is directly proportional to the temperature in Kelvin Scale.

If V is volume and T the temperature, Then V/T will be a constant.

4. *If an inflated balloon is kept in sunlight, it will burst. What may be the reason for this?*

When the temperature increases, the volume of the gas inside the balloon increases and finally it will burst. (Charle's Law)

Relation between volume and number of molecules
(Avogadro's Law)

Avogadro's Law states that At constant temperature and pressure, the volume of a gas is directly proportional to the number of molecules.

5. **How is the number of minute particles calculated?**

If the particles having the same size and mass, even though they are in crores, we can determine their accurate number **on the basis of mass.**

Relative Atomic Mass

It is possible to find out the accurate mass of minute particles through the modern techniques.

For example, the mass of a Hydrogen atom is 1.67×10^{-24} g. But in practice, it is stated in terms of relative mass.

In this method, the mass of an atom is compared to the mass of another atom and expressed as a number which shows how many times it is heavier than the other atom. The atomic mass of elements are expressed by considering 1/12 mass of an atom of carbon-12 as one unit.

When average atomic masses of elements are calculated taking into account the different isotopes of elements, the atomic masses of elements may have fractional values. However for practical purposes and calculations, most of these values are taken as whole numbers.

Towards mole concept..

If the relative atomic mass of an element is x grams, x grams of it contains
 6.022×10^{23} atoms .

Look at the following table for clarification

Element	Atomic Mass	Atomic Mass in grams	Mass Actually taken	Number of Atoms
Hydrogen	1	1 g	1 g	6.022×10^{23}
Carbon	12	12 g	12 g	6.022×10^{23}
Nitrogen	14	14 g	14 g	6.022×10^{23}
Oxygen	16	16 g	16 g	6.022×10^{23}
Sodium	23	23 g	23 g	6.022×10^{23}
Magnesium	24	24 g	24 g	6.022×10^{23}
Aluminium	27	27 g	27 g	6.022×10^{23}
Chlorine	35.5	35.5g	35.5g	6.022×10^{23}
Calcium	40	40 g	40 g	6.022×10^{23}

The mass of an element in grams equal to its atomic mass is called 1 Gram Atomic Mass (1 GAM) of the element. This may also be shortened as 1 Gram Atom.

Hence the table given above can be modified as

Element	Atomic Mass	Atomic Mass in grams	Mass Actually taken	GAM	Number of Atoms
Hydrogen	1	1 g	1 g	1 GAM	6.022×10^{23}
Carbon	12	12 g	12 g	1 GAM	6.022×10^{23}
Nitrogen	14	14 g	14 g	1 GAM	6.022×10^{23}
Oxygen	16	16 g	16 g	1 GAM	6.022×10^{23}
Sodium	23	23 g	23 g	1 GAM	6.022×10^{23}
Magnesium	24	24 g	24 g	1 GAM	6.022×10^{23}
Aluminium	27	27 g	27 g	1 GAM	6.022×10^{23}
Chlorine	35.5	35.5g	35.5g	1 GAM	6.022×10^{23}
Calcium	40	40 g	40 g	1 GAM	6.022×10^{23}

*One gram atomic mass (1 GAM) of any element contains 6.022×10^{23} atoms.
This number is known as Avagadro number. This is indicated as N_A .*

Have a close look at the table given below

Element	Atomic Mass	Atomic Mass in grams	Given mass	Number of GAM	Number of Atoms
Hydrogen	1	1 g	1 g	1 GAM	6.022×10^{23}
Hydrogen	1	1 g	2 g	2 GAM	$2 \times 6.022 \times 10^{23}$
Carbon	12	12 g	12 g	1 GAM	6.022×10^{23}
Carbon	12	12 g	24 g	2 GAM	$2 \times 6.022 \times 10^{23}$
Nitrogen	14	14 g	14 g	1 GAM	6.022×10^{23}
Nitrogen	14	14 g	42 g	3 GAM	$3 \times 6.022 \times 10^{23}$
Oxygen	16	16 g	16 g	1 GAM	6.022×10^{23}
Oxygen	16	16 g	80 g	5 GAM	$5 \times 6.022 \times 10^{23}$
Sodium	23	23 g	23 g	1 GAM	6.022×10^{23}
Sodium	23	23 g	230 g	10 GAM	$10 \times 6.022 \times 10^{23}$

From the table given above , it is clear that

$$\text{Number of Gram Atomic Mass} = \text{Given Mass in grams} / \text{GAM of element}$$

6. How many GAM is present in 46 g of sodium?

(Hint: 1 GAM of sodium means 23 grams of Sodium)

Answer:

$$\begin{aligned} \text{Number of GAM} &= \text{Given Mass in grams} / \text{GAM of element} \\ &= 46 \text{ g} / 23 \text{ g} \\ &= 2 \end{aligned}$$

It contains $2 \times 6.022 \times 10^{23}$ atoms of sodium

7. How many GAM is present in 69 g of sodium?

(Hint: 1 GAM of sodium means 23 grams of Sodium)

Answer:

$$\begin{aligned}\text{Number of GAM} &= \text{Given Mass in grams / GAM of element} \\ &= 69 \text{ g} / 23 \text{ g} \\ &= 3\end{aligned}$$

It contains $3 \times 6.022 \times 10^{23}$ atoms of sodium

$$\text{Number of Atoms} = \text{Number of GAM} \times 6.022 \times 10^{23}$$

8. Calculate the number of atoms present in each of the sample?

(Atomic mass N = 14, O = 16)

a) 42 g Nitrogen

b) 80 g Oxygen

Answer:

a) 42 g Nitrogen

$$\begin{aligned}\text{Number of GAM} &= \text{Given Mass in grams / GAM of element} \\ &= 42 \text{ g} / 14 \text{ g} \\ &= 3\end{aligned}$$

It contains $3 \times 6.022 \times 10^{23}$ atoms of Nitrogen

b) 80 g Oxygen

$$\begin{aligned}\text{Number of GAM} &= \text{Given Mass in grams / GAM of element} \\ &= 80 \text{ g} / 16 \text{ g} \\ &= 5\end{aligned}$$

It contains $5 \times 6.022 \times 10^{23}$ atoms of Oxygen

9. Complete the table given below.

Element	Atomic Mass	Atomic Mass in grams	Given mass	Number of GAM	Number of Atoms
Hydrogen	1	1 g	4 g(a).....(b).....
Carbon	12	12 g(c).....	5 GAM(d).....
Nitrogen	14	14 g	42 g(e).....(f).....
Oxygen	16	16 g(g).....(h).....	$5 \times 6.022 \times 10^{23}$

(a) = 4 (b) = $4 \times 6.022 \times 10^{23}$ (c) = 60 g (d) = $5 \times 6.022 \times 10^{23}$
 (e) = 3 (f) = $3 \times 6.022 \times 10^{23}$ (g) = 80 g (h) = 5

One mole of atoms

One mole of atoms = 6.022×10^{23} atoms = 1GAM

10. Find the number of mole atoms of the following

a.

Element	Atomic Mass	Atomic mass in grams	Mass taken	Number of GAM	Number of atoms	Number of mole atoms
Hydrogen	1	1 g	1 g	1 GAM	6.022×10^{23}	
Carbon	12	12 g	12 g	1 GAM	6.022×10^{23}	
Nitrogen	14	14 g	14 g	1 GAM	6.022×10^{23}	
Oxygen	16	16 g	16 g	1 GAM	6.022×10^{23}	

Answer:

Element	Atomic Mass	Atomic mass in grams	Mass taken	Number of GAM	Number of atoms	Number of mole atoms
Hydrogen	1	1 g	1 g	1 GAM	6.022×10^{23}	1
Carbon	12	12 g	12 g	1 GAM	6.022×10^{23}	1
Nitrogen	14	14 g	14 g	1 GAM	6.022×10^{23}	1
Oxygen	16	16 g	16 g	1 GAM	6.022×10^{23}	1

b.

Element	Atomic mass	Atomic mass in grams	Given mass	Number of GAM	Number of atoms	Number of mole atoms
Hydrogen	1	1 g	1 g	1 GAM	6.022×10^{23}	
Hydrogen	1	1 g	2 g	2 GAM	$2 \times 6.022 \times 10^{23}$	
Carbon	12	12 g	12 g	1 GAM	6.022×10^{23}	
Carbon	12	12 g	24 g	2 GAM	$2 \times 6.022 \times 10^{23}$	
Nitrogen	14	14 g	14 g	1 GAM	6.022×10^{23}	
Nitrogen	14	14 g	42 g	3 GAM	$3 \times 6.022 \times 10^{23}$	
Oxygen	16	16 g	16 g	1 GAM	6.022×10^{23}	
Oxygen	16	16 g	80 g	5 GAM	$5 \times 6.022 \times 10^{23}$	
Sodium	23	23 g	23 g	1 GAM	6.022×10^{23}	
Sodium	23	23 g	230 g	10 GAM	$10 \times 6.022 \times 10^{23}$	

Answer:

Element	Atomic mass	Atomic mass in grams	Given mass	Number of GAM	Number of atoms	Number of mole atoms
Hydrogen	1	1 g	1 g	1 GAM	6.022×10^{23}	1
Hydrogen	1	1 g	2 g	2 GAM	$2 \times 6.022 \times 10^{23}$	2
Carbon	12	12 g	12 g	1 GAM	6.022×10^{23}	1
Carbon	12	12 g	24 g	2 GAM	$2 \times 6.022 \times 10^{23}$	2
Nitrogen	14	14 g	14 g	1 GAM	6.022×10^{23}	1
Nitrogen	14	14 g	42 g	3 GAM	$3 \times 6.022 \times 10^{23}$	3
Oxygen	16	16 g	16 g	1 GAM	6.022×10^{23}	1
Oxygen	16	16 g	80 g	5 GAM	$5 \times 6.022 \times 10^{23}$	5
Sodium	23	23 g	23 g	1 GAM	6.022×10^{23}	1
Sodium	23	23 g	230 g	10 GAM	$10 \times 6.022 \times 10^{23}$	10

Molecular Mass and Gram Molecular Mass

11. The atomic masses of certain elements are given below.

(H=1, C =12, N=14, O= 16, Na = 23, S= 32)

Find the Molecular Mass and GMM of the following

1. H₂ 2. O₂ 3. N₂ 4. H₂O 5. NH₃
 6. CO₂ 7. NaOH 8. C₆H₁₂O₆ 9. Na₂CO₃ 10. H₂SO₄

Sl No	Element/ Compound	Chemical Formula	Molecular Mass	GMM
1	Hydrogen, H ₂	H ₂	1+1 =2	2 g
2	Oxygen, O ₂	O ₂	16+16 =32	32 g
3	Nitrogen, N ₂	N ₂	14+14=28	28 g
4	Water, H ₂ O	H ₂ O	1+1+16 = 18	18 g
5	Ammonia, NH ₃	NH ₃	14+1+1+1=17	17 g
6	Carbondioxide, CO ₂	CO ₂	12+16+16=44	44 g
7	Sodium hydroxide, NaOH	NaOH	23+16+1=40	40 g
8	Glucose, C ₆ H ₁₂ O ₆	C ₆ H ₁₂ O ₆	(12 x 6) + (1 x 12) + (16 x 6) = 72 + 12 + 96 = 180	180 g
9	Sodium carbonate, Na ₂ CO ₃	Na ₂ CO ₃	= (23 x 2) + (12 x 1) + (16 x 3) = 46 + 12 + 48 = 106	106 g
10	Sulphuric acid, H ₂ SO ₄	H ₂ SO ₄	(1 x 2) + (32 x 1) + (16 x 4) = 2 + 32 + 64 = 98	98 g

Number of Molecules

Analyse the table given below

Element / Compound	Molecular Mass	Mass in grams	GMM	Number of molecules
Hydrogen (H ₂)	2	2 g	1 GMM	6.022 x 10 ²³ H ₂ molecules
Oxygen(O ₂)	32	32 g	1 GMM	6.022 x 10 ²³ O ₂ molecules
Nitrogen(N ₂)	28	28 g	1 GMM	6.022 x 10 ²³ N ₂ molecules
Water(H ₂ O)	18	18 g	1 GMM	6.022 x 10 ²³ H ₂ O molecules
Ammonia(NH ₃)	17	17 g	1 GMM	6.022 x 10 ²³ NH ₃ molecules
Carbon dioxide (CO ₂)	44	44 g	1 GMM	6.022 x 10 ²³ CO ₂ molecules

The amount of a substance in grams equal to its molecular mass is called Gram Molecular Mass

One gram molecular mass of any substance contains Avagadro number of molecules.

12. One GMM oxygen is 32g Oxygen. This contains 6.022×10^{23} oxygen molecules.

(a) How many GMM are there in 64g oxygen?

(b) How many molecules are present in it?

Answer:

(a) One GMM oxygen is 32g Oxygen.

Hence ,

$$\begin{aligned} \text{Number of GMM in 64 g oxygen} &= 64\text{g}/32\text{g} \\ &= 2 \end{aligned}$$

(b)

$$\begin{aligned} \text{Number of molecules in 64g Oxygen} &= \text{Number of GMM} \times 6.022 \times 10^{23} \\ &= 2 \times 6.022 \times 10^{23} \end{aligned}$$

Number of Gram Molecular Mass = Mass given in grams / Gram Molecular Mass (GMM)

Number of Molecules = Number of GMM x 6.022×10^{23}

13. Calculate the number of GMM and number of molecules in each of the following samples

(a) 360 g glucose (Molecular mass = 180)

(b) 90 g Water (Molecular mass = 18)

Answer:

(a) 360 g glucose

Number of Gram Molecular Mass = Mass given in grams / Gram Molecular Mass (GMM)
= $360 \text{ g} / 180 \text{ g}$
= 2

Number of molecules = Number of GMM x 6.022×10^{23}
= $2 \times 6.022 \times 10^{23}$

(b) 90 g glucose

Number of Gram Molecular Mass = Mass given in grams / Gram Molecular Mass (GMM)
= $90 \text{ g} / 18 \text{ g}$
= 5

Number of molecules = Number of GMM x 6.022×10^{23}
= $5 \times 6.022 \times 10^{23}$


One Mole of molecules

6.022×10^{23} molecules are called one mole molecule.

$1 \text{ GMM} = 1 \text{ Mole} = 6.022 \times 10^{23}$ molecules.



N_2 is a diatomic molecule. The molecular mass of nitrogen is 28.
Look at the word diagram given below.



Relation between Volume of a gas and Moles

14. What is molar volume of a gas ?

The volume occupied by one mole of a gas is said to be its molar volume.

One mole of any gas under the same conditions of temperature and pressure will contain the same number of molecules and hence their volume will also be the same.

If the temperature or pressure changes, the volume and number of molecules will also change.

Scientists have proved that

1 mole of any gas at 273K and 1 atm pressure occupies 22.4 litres.

273 K temperature and **1 atm** pressure are known as standard temperature and pressure or **STP**.

That is, at STP one mole of any gas will occupy a volume of 22.4 L. This is called molar volume at STP.

That is ,

One mole of H_2 at STP occupies 22.4 Litres

One mole of N_2 at STP occupies 22.4 Litres

One mole of O₂ at STP occupies 22.4 Litres

One mole of Cl₂ at STP occupies 22.4 Litres

One mole of CO₂ at STP occupies 22.4 Litres

One mole of NH₃ at STP occupies 22.4 Litres

15. If one mole of any gas at STP occupies 22.4 L, find the number of moles in 44.8 L

Answer : 44.8 L/ 22.4 L = 2 mol

16. If one mole of any gas at STP occupies 22.4 L, find the number of moles in 67.2 L


Answer : 67.2 L/ 22.4 L = 3 mol

17. If one mole of any gas at STP occupies 22.4 L, find the number of moles in 112 L


Answer : 112 L/ 22.4 L = 5 mol

Number of moles of a gas at STP = Volume of the gas in litres at STP / 22.4 L

18. Complete the chart given below



Answer:



Problem Part in a Nutshell		
For Atoms	For Molecules	For Gases @ STP
Number of GAM = Given mass in grams / GAM of the element	Number of GMM = Given mass in grams / GMM	Number of moles of a gas at STP = Volume of the gas at STP in litres / 22.4 litres
Number of Atoms = Number of GAM $\times 6.022 \times 10^{23}$	Number of Molecules = Number of GMM $\times 6.022 \times 10^{23}$	Number of Molecules = Number of moles $\times 6.022 \times 10^{23}$



Let us assess

- Examine the data given in the table (Temperature and number of molecules of the gas are kept constant).

Pressure (P)	Volume (V)
1 atm	8 L
2 atm	4 L
4 atm	2 L

- Calculate $P \times V$.
 - Which is the gas law related to this?
- Analyse the situations given below and explain the gas law associated with it.
 - A balloon is being inflated.
 - When an inflated balloon is immersed in water, its size decreases.
 - Certain data regarding various gases kept under the same conditions of temperature and pressure are given below.

Gas	Volume (L)	No. of molecules
Nitrogen	10 L	x
Oxygen	5 L	
Ammonia	10 L	---
Carbon di oxide	---	2x

- Complete the table.
- Which gas law is applicable here?

4. a) Calculate the mass of 112 L CO₂ gas kept at STP (molecular mass =44).
b) How many molecules of CO₂ are present in it?
5. a) Calculate the volume of 170g of ammonia at STP? (Molecular mass - 17)
6. Find out the number of moles of molecules present in the samples given below.
(GMM - N₂ = 28g, H₂O = 18g)
a) 56g N₂ b) 90g H₂O
7. The Molecular mass of ammonia is 17.
a) How much is the GMM of ammonia?
b) Find out the number of moles of molecules present in 170g of ammonia.
c) Calculate the number of ammonia molecules present in the above sample of ammonia?
8. The molecular mass of oxygen is 32.
a) What is the GMM of O₂?
b) How many moles of molecules are there in 64 g of oxygen? How many molecules are there in it?
c) Calculate the number of oxygen atoms present in 64g of oxygen?

Answers :

1 (a) = 8 L atm (b) = Boyle's Law

2 (a) = Avogadro's Law (b) = Boyle's Law (Explanation of the example)

3 (a)

Gas	Volume (L)	No. of molecules
Nitrogen	10 L	x
Oxygen	5 L	x/2
Ammonia	10 L	$\frac{x}{2}$
Carbon di oxide	20 L	2x

(b) Avogadro's Law

4

$$\begin{aligned} \text{(a) Number of moles of a gas at STP} &= \text{Volume of the gas in Litres at STP} / 22.4 \text{ L} \\ &= 112\text{L} / 22.4 \text{ L} \\ &= 5 \text{ moles} \end{aligned}$$

$$\begin{aligned} \text{But , Number of moles} &= \text{Mass given in grams} / \text{Gram Molecular Mass of the compound} \\ \text{Mass in grams} &= \text{Number of moles} \times \text{Gram Molecular Mass of the compound} \\ &= 5 \times 44 \text{ g} \\ &= 220 \text{ g} \end{aligned}$$

$$\begin{aligned} \text{(b) Number of molecules of CO}_2 &= \text{Number of moles} \times 6.022 \times 10^{23} \\ &= 5 \times 6.022 \times 10^{23} \end{aligned}$$

5

$$\begin{aligned} \text{Number of moles} &= \text{Mass given in grams} / \text{Gram Molecular Mass of the compound} \\ &= 170 \text{ g} / 17 \text{ g} \\ &= 10 \text{ moles} \end{aligned}$$

$$\begin{aligned} \text{Number of moles of a gas at STP} &= \text{Volume of the gas in litres at STP} / 22.4 \text{ L} \\ \text{Volume of the gas in litres at STP} / 22.4 \text{ L} &= \text{Number of moles at STP} \times 22.4 \text{ L} \\ &= 10 \text{ moles} \times 22.4 \text{ L} \\ &= 10 \times 22.4 \text{ L} = 224 \text{ L} \end{aligned}$$

6

$$\text{(a) = 2} \qquad \qquad \text{(b) = 5}$$

7

$$\begin{aligned} \text{(a) } 17 \text{ g} \\ \text{(b) } 170\text{g} / 17 \text{ g} = 10 \\ \text{(c) } 10 \times N_A \end{aligned}$$

8

$$\begin{aligned} \text{(a) } 32 \text{ g} \\ \text{(b) } 2, 2 \times N_A \\ \text{(c) Number of Oxygen atoms} &= \text{Number of GAM} \times N_A \\ &= (64\text{g} / 16 \text{ g}) \times N_A \\ &= 4 \times N_A \end{aligned}$$

Comprehensive Class notes 2021-22 Chemistry - Class 10 -Unit 2

$$\begin{aligned}\text{Number of molecules} &= \text{Number of moles} \times 6.022 \times 10^{23} \\ &= \mathbf{2 \times N_A}\end{aligned}$$

c. 67.2 L of N_2 at STP

$$\begin{aligned}\text{Number of moles of a gas at STP} &= \text{Volume of the gas at STP in litres} / 22.4 \text{ litres} \\ &= 67.2 \text{ L} / 22.4 \text{ L} \\ &= 3\end{aligned}$$

$$\begin{aligned}\text{Number of molecules} &= \text{Number of moles} \times 6.022 \times 10^{23} \\ &= \mathbf{3 \times N_A}\end{aligned}$$

d. 1 mol Of H_2SO_4

$$\begin{aligned}\text{Number of molecules} &= \text{Number of moles} \times 6.022 \times 10^{23} \\ &= 1 \times N_A \\ &= \mathbf{N_A}\end{aligned}$$

e. 180 g of Water

$$\begin{aligned}\text{Number of GMM} &= \text{Given mass in grams} / \text{GMM of the compound} \\ &= 180 \text{ g} / 18 \text{ g} = 10\end{aligned}$$

$$\begin{aligned}\text{Number of Molecules} &= \text{Number of GMM} \times 6.022 \times 10^{23} \\ &= \mathbf{10 \times N_A}\end{aligned}$$

The increasing order of number of molecules in sample is

$1 \text{ mol Of } H_2SO_4 < 44.8 \text{ L of } NH_3 \text{ at STP} < 67.2 \text{ L of } N_2 \text{ at STP} < 20 \text{ g He} < 180 \text{ g of Water}$

Number of atoms in each sample

Sample	Element / Compound	Number of Molecules	Number of Atoms in one Molecule	Total number of atoms
(a)	20 g He	$5 \times N_A$	He = 1	$1 \times 5 \times N_A = 5 N_A$
(b)	44.8 L of NH_3 at STP	$2 \times N_A$	$NH_3 = 1 + 3 = 4$	$4 \times 2 \times N_A = 8 N_A$
(c)	67.2 L of N_2 at STP	$3 \times N_A$	$N_2 = 2$	$2 \times 3 \times N_A = 6 N_A$
(d)	1 mol Of H_2SO_4	N_A	$H_2SO_4 = 2 + 1 + 4 = 7$	$7 \times N_A = 7 N_A$
(e)	180 g of Water	$10 \times N_A$	Water (H_2O) = $2 + 1 = 3$	$3 \times 10 \times N_A = 30 N_A$

The ascending order of the number of atoms is

$20 \text{ g He} < 67.2 \text{ L of } N_2 \text{ at STP} < 1 \text{ mol Of } H_2SO_4 < 44.8 \text{ L of } NH_3 \text{ at STP} < 180 \text{ g of Water}$

Mass of samples b , c and d

b. 44.8 L of NH₃ at STP

Number of molecules = $2 \times N_A$

Mass of N_A molecules = 1 GMM = 17 g of NH₃

Mass of $2 \times N_A$ molecules = 2 GMM = 2×17 g of NH₃ = **34 g of NH₃**

c. 67.2 L of N₂ at STP

Number of molecules = $3 \times N_A$

Mass of N_A molecules = 1 GMM = 28 g of N₂

Mass of $3 \times N_A$ molecules = 3 GMM = 3×28 g of N₂ = **84 g of NH₃**

d. 1 mol Of H₂SO₄

1 mol of H₂SO₄ = N_A molecules of H₂SO₄

Mass of N_A molecules = 1 GMM = **98g of H₂SO₄**

3. 90 g of Water (H₂O)

Number of GMM = Given mass in grams / GMM of the Element
= $90 \text{ g} / 18 \text{ g} = 5$

Number of Molecules = Number of GMM $\times 6.022 \times 10^{23}$
= **$5 \times N_A$**

Number of atoms in 1 molecule of Water (H₂O) = $2 + 1 = 3$

Therefore ;

Total Number of atoms in $5 \times N_A$ molecules of Water = $3 \times 5 \times N_A = 15 N_A$

Number of electrons in 1 molecule of Water = $2 + 8 = 10$

Therefore ;

Total Number of electrons in $5 \times N_A$ molecules of Water = $10 \times 5 \times N_A = 50 \times N_A$