SUMMATIVE ASSESSMENT - I - 2016-2017 MATHEMATICS - Paper - 1 (English Version) PART - A & B : X Max. Marks : 40 Time : 2:45Hrs.

Class : X

Marks: 30

Part - A

Instructions:

- 1. 15 minutes of time is alloted for reading the question paper.
- 2. Answer<u>ALL</u> questions.
- 3. Answer for questions under Part-A should be written in a separate answer book.
- 4. There is internal choice for questions in Section-III, Part-A.

SECTION - I

Instructions:

(i) Answer all questions.

- (ii) Each question carries 1 mark. $4 \times 1 = 4$ Marks
- 1. Determine the value of $\log_{3/5} \frac{243}{3125}$
- 2. If $A = \{0,1,2\}$ and $B = \{2,4\}$ then find $n(A \cup B)$.
- 3. Check whether $\frac{1}{2}$ is the zero of the polynomial $2X^2 + X 1$ or not.
- 4. Explain the terms in the formula V = l x b x h

SECTION - II

Instructions:

- (i) Answer all questions.
- (ii) Each question carries 2 marks. $5 \ge 2 = 10$ Marks
- 5. Solve $7^{x} = 9^{x-2}$

- 6. Establish the relation among the sets of Real Numbers, Rational, Irrational, Integers, whole numbers and Natural Numbers using Venn diagrams.
- Verify the ralationship between the zeroes and the coefficients of X²-25 by finding its zeroes.
- 8. Give two examples for the polynomials p(X) and g(X), satisfying the Division Algorithem $p(X) = g(X) \times q(X) + r(X)$ such that r(X) = 0.
- 9 If 'A' is the set of all primes below '5' and 'B' is the set of all prime factors of '30', then is A B = B A?

SECTION - III

Instructions:

- **1.** Answer all the questions.
- 2. Choose (a) or (b) any one from each question.

4 x 4 = 16 Marks

10. (a) Verify that 4, -1, - $\frac{1}{4}$ the zeroes of the cubic polynomial $4X^3$ - $11X^2$ - 19X - 4 and check the relationship between zeroes and coefficients.

(OR)

- (b) Prove that $2\sqrt{5} + \sqrt{7}$ is an Irrational Number. Also check whether $(2\sqrt{5} + \sqrt{7})$ $(2\sqrt{5} \sqrt{7})$ is rational or Irrational.
- 11. (a) Draw the graph of the polynomial $X^2 + X 6$ and mark the zeroes of the Polynomial on graph.

(OR)

(b) Represent the following through Venn - diagram.
(i) A - B
(ii) B-A
(iii) A ∪ B
(iv) A ∩ B

12. (a) Selfhelp group wants to manufacture Joker's caps (conical caps) of 6 cm radius and 8 cm hight. If the available colour paper sheet is 1000 cm² then how many caps can be manufactured from that paper.

(OR)

- (b) Write a quadratic eqation whose roots are the solutions of 2X + Y = 7 and X Y = 2.
- 13. (a) If $A = \{X : `X` is a Natural number below 10\}$ $B = \{X : `X` is an even number below 10\}$ $C = \{X : `X` is an odd number below 10\}$ then find (i) A - B (ii) A - C (iii) $B \cup C$ (iv) Also mention the Mutually disjoint sets among (i), (ii) and (iii).

(b) (i) If
$$\log \left[\frac{X+y}{3}\right] = \frac{1}{2}(\log X + \log y)$$
 then find $\frac{X}{y} + \frac{y}{X}$
(ii) Find $3^{2 + \log_{3}^{2}}$



SUMMATIVE ASSESSMENT - I - 2016-2017 MATHEMATICS -Paper - 1 (English Version) PART - B

Class : X

Marks: 10

ſ

1

Name of the Student :..... Roll No:

	AS-1			AS-2				AS-3			AS-4		AS-5						
Q.No	1	2	5	13	14 - 29	3	7	10	30 - 31	4	8	32	33	9	12	6	11	Total	Grade
Marks																			
Total																			

Marks: 10

Part - B

Instructions:

- 1. Answer all the questions in Part-B.
- 2. Each question has 4 options. Write the capital letter indicating the answer in the given brackets.
- 3. Marks are not awarded for over witing answers.
- 4. All questions carry equal marks.

SECTION - IV

Instructions:

- 1. Answer all the questions.
- 2. Each question carries $\frac{1}{2}$ mark. 20 x $\frac{1}{2}$ = 10 Marks

- A) 9 B) 1 C) 63 D) 36
- 15. $\log_X \sqrt[3]{X} =$ []
 - A) 3 B) $\frac{1}{3}$ C) $0.\overline{3}$ D) B and C

 $\log_4 8^2$ 16. [1 A) 4 B) 8 C) 2 D) 3 Last digit of 5¹⁰⁰ is 17. ſ 1 C) 0 A) 5 B) 6 D) Can not say 18. If 'A' and 'B' are two sets such that $A \subset B$ then $A \cup B =$ ſ] B) B C) A \cap B A) A D) None 19. If 'A' and 'B' are disjoint sets then $n(A \cap B) =$ ſ] A) 1 B) **(** C) 0 D) { } 20. Match the following [] Group - II <u>Group - I</u> L) $A \cup B$ i) $A \cap B$ M) { $X : X \in A$ and $X \in B$ } ii) { $X : X \in A$ and $X \notin B$ } iii) $\{X : X \in A \text{ or } X \in B\}$ N) A - B O) If $X \in A$ then $X \in B$ iv) $A \subset B$ A) $L \rightarrow (iii), M \rightarrow (i), N \rightarrow (ii), O \rightarrow (iv)$ B) $L \rightarrow (i), M \rightarrow (ii), N \rightarrow (iii), O \rightarrow (iv)$ C) $L \rightarrow (iii), M \rightarrow (i), N \rightarrow (iv), O \rightarrow (ii)$ D) $L \rightarrow (iii), M \rightarrow (ii), N \rightarrow (i), O \rightarrow (iv)$ 21. $A \cap \phi \neq$ ſ 1 C) ϕ – A D) { } B) **(** A)A The degree of the polynomial 9X Y^3 +10 Y^4 + $\frac{5}{4}$ X⁴ $\frac{7}{3}$ X³ Y^2 is [22.] C) 4 A) 3 B) 2 D) 5

23. The zero of the linear polynomial
$$2X+3$$
 is[A) 0B) $\frac{-3}{2}$ C) $-1\frac{1}{2}$ D) B and C24. The product of the zeros of the polynomial $3X^3 - 5X^2 - 10X + 15$ is[A) -5B) 5C) $\frac{5}{3}$ D) $\frac{-10}{3}$ 25. The quadratic polynomial with zeros 2 and 3 is[A) $X^2 - 5X + 6$ B) $(X - 2) (X - 3)$ C) $2X^2 - 10X + 12$ D) All the above26. The radius of a conical tent is 3 meter and height is 4 meter then its slantheight is _____ meter.[A) 5B) $\sqrt{25}$ C) A and BD) none27. The total surface area of a solid hemisphere of radius 1 unit is[]

A)
$$3\pi r^2$$
 B) $2\pi r^2$ C) 3π D) 2π
28.
Volume of $_{2cm}$ is C.C
A) 16 B) 10 C) 6 D) 12

29.	The ratio of volumes of a cone and cylinder with same base and equal											
	heights is											
	(i) 3 : 1	(ii) 1 : 3	(iii) 2 : 6	(iv) 3 : 9								
	A) (i) only	B) (ii) only	C) (ii) and (iii)) only D) (ii), (iii) a	nd (iv)							
30.	Which of the following are terminating decimals.											
	(i) $\frac{16}{125}$	(ii) $\frac{25}{32}$	(iii) $\frac{100}{81}$	(iv) $\frac{14}{75}$	[]						
	A) (i)	B) (ii) and (ii)	C) (ii) and (i	ii) D) none								
31.	Which of the following is empty set.											
	A) Set of Eve	B) Set of Odd numb	pers < 3	3								
	C) Intersection of Even and Odd numbers D) none											
32.	Roster form of $\{X : `X' is an even prime below 10\}$ is											
	A) {2}	B) {2, 4}	C) {2, 4, 6}	D) {2, 4, 6, 8}								

33. If
$$A = \pi \mathbf{r} \mathbf{l}$$
 which of the following is not correct. []

A)
$$l = \frac{A}{\pi t}$$
 B) $r = \frac{A}{\pi l}$ C) $r = \frac{Al}{\pi}$ D) none