

12. If $\text{adj}(\text{adj } A) = \begin{pmatrix} 1 & 2 \\ 0 & 1 \end{pmatrix}$ then find A.
13. Simplify : $\left(\frac{1+i}{1-i}\right)^3 - \left(\frac{1-i}{1+i}\right)^3$ into rectangular form.
14. Find the square root of $-5 - 2i$
15. Construct a cubic equation whose roots are 1, 1, -2.

PART - III

- Note : i) Answer any three questions.
ii) Question number 20 is compulsory.

3×3=9

16. Find the rank of matrix $\begin{bmatrix} 1 & 1 & 1 & 3 \\ 2 & -1 & 3 & 4 \\ 5 & -1 & 7 & 11 \end{bmatrix}$ by row reduction method.
17. If $Z = 1 + i$ be a vertex of square in a argand plane, then find the other vertices.
18. In a competitive examination, one mark is awarded for every correct answer while $\frac{1}{4}$ mark is deducted for every wrong answer. A student answered 100 questions and got 80 marks. How many questions did he answer correctly? (Use Cramer's rule)
19. Obtain the condition that the roots of $x^3 + px^2 + qx + r = 0$ are in A.P.
20. Show that the equation $z^3 + 2\bar{z} = 0$ has five solution.

PART - IV

4×5=20

- Note : Answer all the questions.

21. Four men and 4 women can finish a piece of work jointly in 3 days while 2 men and 5 women can finish the same work jointly in 4 days. Find time taken by one man alone and that of one women alone to finish the same work by using matrix inversion method. (OR)
Find the value of k for which the equation $kx - 2y + z = 1$, $x - 2ky + z = -2$, $x - 2y + kz = 1$ have i) No solution ii) unique solution iii) Infinitely many solution.
22. By using Gaussian elimination method, balance the chemical reaction equation $C_5H_8 + O_2 \rightarrow CO_2 + H_2O$ (OR)

If $z = x + iy$ is a complex number such that $\text{Im}\left(\frac{2z+1}{iz+1}\right) = 0$. Show that the locus of Z is $2x^2 + 2y^2 + x - 2y = 0$.

23. If $\frac{1+z}{1-z} \cos 2\theta + i \sin 2\theta$, show that $z = i \tan \theta$

(OR)

Solve : $z^3 + 64 = 0$

24. If α, β, γ are the roots of the cubic equation $x^3 + 2x^2 + 3x + 4 = 0$, form a cubic equation whose roots are $\frac{1}{\alpha}, \frac{1}{\beta}, \frac{1}{\gamma}$. (OR)

Find all real numbers satisfying $4^x - 3(2^{x+2}) + 2^5 = 0$.